
THORSEN TOOL

PROFESSIONAL QUALITY TOOLS...
FROM ENGINEERING EXCELLENCE AND ADVANCED PROCESS DESIGN.



THORSEN TOOL A TOMORROW COMPANY TODAY

 Manufactures a complete line of quality mechanics hand tools.

 These hand tools are the product of advanced manufacturing technology and engineering design.

 Thorsen tools offer continuing precise and durable performance — they perform.


THORSEN PRACTICES THE PHILOSOPHY THAT PERFORMANCE FOLLOWS DESIGN. THIS IS APPARENT IN:

 The complete design of the hand tool line.

 An advanced computerized materials management system that provides, among other things, an outstanding service level to customers.

 Mechanized manufacturing processes that produce tools that are the industry's finest values.

 Equipment selection which is the latest technical design utilizing solid state controls.



Tools is not just cosmetic they are as good as they look. Today, THORSEN offers tools you can afford and the professional quality you can't afford to be without!



FULL LIFETIME WARRANTY UNCONDITIONAL GUARANTEE

All Thorsen tools carry a full lifetime warranty and are unconditionally guaranteed for the normal life of the product. Any tool that does not perform to your satisfaction during normal use will be promptly repaired or replaced upon return to any authorized Thorsen dealer. This warranty gives you specific rights and you may also have other rights which vary from state to state.



PROFESSIONAL PERFORMANCE LIFETIME QUALITY FINISH



THORSEN'S NEW

"POSITIVE EJECT"...

Socket Ejector Ratchet features Thorsen's patented design that positively pushes the socket off rather than simply releasing ball pressure as some competitive models do.

All Thorsen Ratchets feature advanced engineering design, full polish and are professionally heat treated to provide the best strength and wear characteristics.



THORSEN'S COLD EXTRUDED SOCKETS...

Featuring a high technology extrusion process that provides strong contact faces at the points, thin walls for accessibility, maximum bolt hole clearance and precision heat treatment to provide the ultimate in socket strength — complemented by professional finish and nickel chrome plating.



THORSEN'S NEW RAISED PANEL . . .

Flat wrench design is the ultimate in functional and cosmetic excellence — depressed panel at working ends for better grip — I beam type construction for strength with polished panel for cosmetic excellence.



THORSEN'S NEW SCREWDRIVER LINE...

Line features 6150 chrome-vanadium steel, heavy duty extruded handles and a broad, new selection of round and square blade drivers.

THORSEN TOOLS ARE MANUFACTURED TO U.S. GOVERNMENT SPECIFICATIONS

CONTENTS

CONTENTS

THORSEN TOOL

TABLE OF CONTENTS

| INDEE OF CONTENT | |
|-----------------------------------|----------------|
| ATTACHMENTS | PAGE |
| 1/4" Drive | 3 |
| 3/8" Drive | 7,8 |
| 1/9// Drive | 16 |
| 3/4" Drive | 22 |
| CHICELS | 43 |
| CONVERSION CHARLS | 48,51,52 10 |
| HEX BIT SOCKETS | 12 |
| HEX BIT SOCKETS SETS | 18,20 |
| IMPACT SOCKETS | 7.7.1 |
| METRIC TOOLS | |
| METRIC SOCKETS | 5 |
| 1/4" Drive | 10 |
| 3/8" Drive | 18 |
| METRIC SOCKET SETS | |
| 1/4" Drive | 6 |
| 3/8" Drive | 14,15 |
| 7/0// Date: | 21 |
| METRIC MIII TLDRIVE SOCKET SEIS | 25 |
| METRIC COMBINATION WRENCHES | 34 35,36,37 |
| | 37 |
| METRIC OPEN END WRENCHES | 38 |
| METRIC OPEN END WRENCH SETS | 44 |
| NUTDRIVERS | 45 |
| NUTDRIVER SETS | 42 |
| PUNCHES | 43,44 |
| PUNCH & CHISEL SETS SCREWDRIVERS | 41 |
| SCREWDRIVERS SCREWDRIVER SETS | 41,42 |
| SLIP JOINT PLIERS | 45 |
| SOLID JOINT PLIERS | 46,47,48 |
| RIB GROOVE PLIERS | 45 |
| COCKETS | 4 |
| 1/4" Delvo | 8,9,10 |
| 3/8" Drive | 17,18 |
| 1/2" Drive | 22 |
| | - 1 |
| SOCKET WRENCH SETS 1/4" Drive | 5,6 |
| 3/8" Drive | 11,12,13 |
| 1/2" Drive | 18,19,20 |
| 3/4" Drive | 23,24 |
| Multi Drive Sets | 25-30 16 |
| STUD REMOVER | |
| TOOL BOXES TOOL SETS, MASTER | |
| TOOL SETS, MASTER TORQUE WRENCHES | 48 |
| | |
| WRENCHES Combination | 34 |
| Open End | |
| Chart Day | - 00 |
| Long Pov | |
| Topost | |
| Obstruction | . 40 |
| WRENCH SETS Combination | |
| Combination | 37,38 |
| Open End | . 39 |
| Long Pov | . 55,40 |
| Tappet | . 40 |
| Tappet | |

1/4" DRIVE

3/8" DRIVE

1/2" DRIVE

3/4" DRIVE

MULTI-DRIVE SETS

MASTER TOOL SETS

COMBINATION WRENCHES

OPEN END WRENCHES

BOX WRENCHES

SCREWDRIVERS

PUNCHES & CHISELS

PLIERS

TORQUE WRENCHES

TOOL BOXES

REVERSIBLE RATCHET

Closed head, recessed knob ratchet with fully knurled handle designed for versatility and strength in small areas.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|-----------------|--------|-----------|------------|
| 77MC | 5" | 6 | .25 lbs. |
| RK14 Repair Kit | | 1 | .05 lbs. |



EXTENSIONS

Strong cold headed, nickel chrome plated extensions for those hard to reach spots.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 50M | 2" | 6 | .10 lbs. |
| 53M | 6" | 6 | .17 lbs. |



FLEXHANDLE.

Useful as nut spinner or to apply torque. Functions at any angle to 90° .

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 18M | 6" | 6 | .22 lbs. |



SPINNER HANDLE

Extends plastic handle with 3"-1/4" drive shank for spinning nuts on and off.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| ROM | 6" | 6 | .16 lbs. |



T-HANDLE

Head slides to any position on bar.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 42M | 4-1/2" | 6 | .19 lbs. |



SPEEDER HANDLE

Convenient when speed for nut running and additional reach is required.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|---------|-----------|------------|
| 62M | 14-1/4" | 6 | .50 lbs. |



ADAPTOR

Adapts 3/8" Drive Sockets for use with 1/4" Drive Attachments.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 92 | 3/4" | 6 | .10 lbs. |



UNIVERSAL JOINT

Connects sockets to handles or extensions to allow work at almost any angle.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 33M | 1-1/4" | 6 | .10 lbs. |











6 POINT REGULAR HEX NUTS

For Hex Sockets — precision machined and fully nickel chrome plated.

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 6M | 3/16" | 15/16" | 6 | .02 lbs. |
| 7M | 7/32" | 15/16" | 6 | .02 lbs. |
| 8M | 1/4" | 15/16" | 6 | .02 lbs. |
| 9M | 9/32" | 15/16" | 6 | .02 lbs. |
| 10M | 5/16" | 15/16" | 6 | .02 lbs. |
| 11M | 11/32" | 15/16" | 6 | .02 lbs. |
| 12M | 3/8" | 15/16" | 6 | .06 lbs. |
| 14M | 7/16" | 15/16" | 6 | .06 lbs. |
| 16M | 1/2" | 15/16" | 6 | .06 lbs. |
| | | | | |

8 POINT REGULAR SOCKETS

For older style square head fasteners.

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|-------|--------|-----------|------------|
| 8MS | 1/4" | 15/16" | 6 | .02 lbs. |
| 10MS | 5/16" | 15/16" | 6 | .02 lbs. |
| 12MS | 3/8" | 15/16" | 6 | .02 lbs. |

12 POINT REGULAR DOUBLE HEX NUTS

For precision electronic automotive and aircraft work using hex nuts.

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 6T | 3/16" | 15/16" | 6 | .02 lbs. |
| 7T | 7/32" | 15/16" | 6 | .02 lbs. |
| 8T | 1/4" | 15/16" | 6 | .02 lbs. |
| 9T | 9/32" | 15/16" | 6 | .02 lbs. |
| 10T | 5/16" | 15/16" | 6 | .02 lbs. |
| 11T | 11/32" | 15/16" | 6 | .02 lbs. |
| 12T | 3/8" | 15/16" | 6 | .06 lbs. |
| 14T | 7/16" | 15/16" | 6 | .06 lbs. |
| 16T | 1/2" | 15/16" | 6 | .06 lbs. |
| | | | | |

6 POINT EXTRA DEEP SOCKETS

Deep Sockets for extra reach in tight areas which are too small for larger drive sizes.

| W. A. Marketter and Marketter | | | | |
|---|--------|--------|-----------|------------|
| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
| 6ML | 3/16" | 2" | 6 | .06 lbs. |
| 7ML | 7/32" | 2" | 6 | .07 lbs. |
| 8ML | 1/4" | 2" | 6 | .07 lbs. |
| 9ML | 9/32" | 2" | 6 | .07 lbs. |
| 10ML | 5/16" | 2" | 6 | .09 lbs. |
| 11ML | 11/32" | 2" | 6 | .09 lbs. |
| 12ML | 3/8" | 2" | 6 | .10 lbs. |
| 14ML | 7/16" | 2" | 6 | .10 lbs. |

12 POINT EXTRA DEEP SOCKETS

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 6TL | 3/16" | 2" | 6 | .06 lbs. |
| 7TL | 7/32" | 2" | 6 | .07 lbs. |
| BTL | 1/4" | 2" | 6 | .07 lbs. |
| 9TL | 9/32" | 2" | 6 | .07 lbs. |
| 10TL | 5/16" | 2" | 6 | .09 lbs. |
| 11TL | 11/32" | 2" | 6 | .09 lbs. |
| 12TL | 3/8" | 2" | 6 | .10 lbs. |
| 14TL | 7/16" | 2" | 6 | .10 lbs. |
| | | | | |

6 POINT REGULAR METRIC SOCKETS

METRIC

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA |
|----------|-------|--------|-----------|-----------|
| 20204 | 4MM | 15/16" | 6 | .02 lbs. |
| 20205 | 5MM | 15/16" | 6 | .02 lbs. |
| 20255 | 5.5MM | 15/16" | 6 | .02 lbs. |
| 20206 | 6MM | 15/16" | 6 | .02 lbs. |
| 20263 | 6.3MM | 15/16" | 6 | .02 lbs. |
| 20207 | 7MM | 15/16" | 6 | .04 lbs. |
| 20208 | 8MM | 15/16" | 6 | .04 lbs. |
| 20209 | 9MM | 15/16" | 6 | .04 lbs. |
| 20210 | 10MM | 15/16" | 6 | .06 lbs. |
| 20211 | 11MM | 15/16" | 6 | .06 lbs. |



1/4" DRIVE SETS

SET NO. 1408DP 8 PC. 1/4" DRIVE DEEP SET

A compact clip consisting of eight 6-point deep sockets includes the most popular 1/4" drive sizes — 3/16" through 7/16" — thin wall and precision forging allows ample room for bolt clearance. Furnished in "Snap Tite" metal clip.

| PART NO. | SIZE & DESCRIP | PTION | PART NO. | SIZE & DESCRIP | TION |
|-------------|-------------------|-----------------|-------------|-------------------|-----------------|
| 6ML | 3/16" | 6 Pt. Deep Skt. | 10ML | 5/16" | 6 Pt. Deep Skt. |
| 7ML | 7/32" | 6 Pt. Deep Skt. | 11ML | 11/32" | 6 Pt. Deep Skt. |
| 8ML | 1/4" | 6 Pt. Deep Skt. | 12ML | 3/8" | 6 Pt. Deep Skt. |
| 9ML | 9/32" | 6 Pt. Deep Skt. | 14ML | 7/16" | 6 Pt. Deep Skt. |

Black Enamel Metal Clip 4-1/4 x 2-1/8 x 3/4 STD. PKG. 1 WEIGHT .75 LBS.



SET NO. 1411 11 PC. 1/4" DRIVE SOCKET SET

A basic starter set for small jobs through 7/16". For hobby and electronic and ignition work.

| PART NO. | SIZE & DESCRIP | TION | PART NO. | SIZE & DESCRI | PTION |
|-------------|----------------|------------|-------------|------------------|------------|
| 8M | 1/4" | 6 Pt. Skt. | 14M | 7/16" | 6 Pt. Skt. |
| 9M | 9/32" | 6 Pt. Skt. | 8MS | 1/4" | 8 Pt. Skt. |
| 10M | 5/16" | 6 Pt. Skt. | 10MS | 5/16" | 8 Pt. Skt. |
| 11M | 11/32" | 6 Pt. Skt. | 12MS | 3/8" | 8 Pt. Skt. |
| 12M | 3/8" | 6 Pt. Skt. | 80M | Spinner Handle | |

Black enamel metal box 7 x 3-1/4 x 1-3/8 STD. PKG. 1 WEIGHT 1.25 LBS.



SET NO. 1416 16 PC. 1/4" DRIVE SOCKET SET

A medium range set with the basic tools for ignition and distributor work plus electronic and hobby applications.

| PART NO. | SIZE & DESCRIP | PTION | PART NO. | SIZE & DESCRIP | TION |
|-------------|-------------------|------------|-------------|-------------------|------------|
| 80M | Spinner | Handle | 10M | 5/16" | 6 Pt. Skt. |
| 77MC | Rev. Ra | tchet | 11M | 11/32" | 6 Pt. Skt. |
| 50M | 2" Ext. | | 12M | 3/8" | 6 Pt. Skt. |
| 53M | 6" Ext. | | 14M | 7/16" | 6 Pt. Skt. |
| 6M | 3/16" | 6 Pt. Skt. | 8MS | 1/4" | 8 Pt. Skt. |
| 7M | 7/32" | 6 Pt. Skt. | 10MS | 5/16" | 8 Pt. Skt. |
| 8M | 1/4" | 6 Pt. Skt. | 12MS | 3/8" | 8 Pt. Skt. |
| 9M | 9/32" | 6 Pt. Skt. | | 30.70 | 3 0 00 200 |

Black enamel metal box $7 \times 3-1/4 \times 1-3/8$ STD. PKG. 1 Weight 1.65 Lbs.





SET NO. 1422 22 PC. 1/4" DRIVE SOCKET SET

Thorsen's most complete 1/4" Drive Set includes all 9 regular sockets, 7 deep wall sockets, and most 1/4" attachments. Perfect for television repair, ignition and light mechanical work.

| PART | SIZE & | | PART | SIZE & | TION |
|---|--|----|---|---|---|
| NO. | DESCRIPTION | | NO. | DESCRIP | |
| 80M 33M 50M 53M 77MC 6M 7M 8M 9M 10M | Spinner Univ. Joi 2" Ext. 6" Ext. Rev. Rat 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" | nt | 12M 14M 16M 8ML 9ML 10ML 11ML 12ML 14ML 16ML | 3/8" 7/16" 1/2" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2" | 6 Pt. Skt. 6 Pt. Skt. 6 Pt. Skt. 6 Pt. Deep Skt. 6 Pt. Deep Skt. 6 Pt. Deep Skt. 6 Pt. Deep Skt 6 Pt. Deep Skt 6 Pt. Deep Skt 6 Pt. Deep Skt |

Black enamel metal box 9-1/2 x 4 x 1-1/2 STD. PKG. 1 WEIGHT 3.77 LBS.



SET NO. 10015 15 PC. 1/4" DRIVE SOCKET SET

A basic set for automotive and hobby work. Set comes in easy to carry blow molded box.

| PART NO. | SIZE & DESCRIP | TION | PART NO. | SIZE & DESCRIP | TION |
|--|---|------|---|---|--|
| 80M 53M 77MC 6M 7M 8M 9M | Spinner 6" Ext Rev. Ra 3/16" 7/32" 1/4" 9/32" | | 10M 11M 12M 14M 8MS 10MS | 5/16" 11/32" 3/8" 7/16" 1/4" 5/16" 3/8" | 6 Pt. Skt. 6 Pt. Skt. 6 Pt. Skt. 6 Pt. Skt. 8 Pt. Skt. 8 Pt. Skt. 8 Pt. Skt. |

Black blow molded box with handle 10-1/2" x 4-3/4" x 1-3/4" STD PKG, 1 WEIGHT 4.10 LBS.

METRIC

SET NO. M-1411 11 PC. 1/4" DRIVE METRIC SOCKET SET

A basic starter set for small jobs through 11 mm. For hobby and electronic and ignition work.

| PART | SIZE & | PART | SIZE & |
|------|-------------|------|-----------------|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 4MM | 6 Pt. Skt. | 9MM | 6 Pt. Skt. |
| 5MM | 6 Pt. Skt. | 10MM | 6 Pt. Skt. |
| 6MM | 6 Pt. Skt. | 11MM | 6 Pt. Skt. |
| 7MM | 6 Pt. Skt. | 80M | Spinner Handle |
| 8MM | 6 Pt. Skt. | 90 | Adapter to 1/4M |

Black enamel metal box 7" x 3-1/4" x 1-1/4" STD, PKG.1 WEIGHT 1.25 LBS.

THORSEN TOOL



A fully enclosed head ratchet designed for fast, positive action. Fully polished with knurled handle grip.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|-------------|-------------|----------------------|
| 77JC | 7-1/2" | 6 | .60 lbs. |
| RK38 | Renewal Kit | 1 | .08 lbs. |
| | 77JC | 77JC 7-1/2" | 77JC 7-1/2" 6 |



FLEX HEAD RATCHET

A specially designed tool with a 120° swing in the head. Exceptional for working around obstructions and for sparkplug installation.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|--------------------|---------------|------------|
| 88JNR | 11" | 6 | .87 lbs. |
| RK38 | Renewal Kit Fits 8 | 88JNR Ratchet | .08 lbs. |



EJECTOR RATCHET

Thorsen's New "Positive Eject" Ratchet. Pushing turn knob easily pushes socket off square. Patented and patent pending — available 1979.

| | PART NO. | LENGTH | STD PKG. | WEIGHT EA. |
|---|----------|--------|----------|------------|
| , | 89J | 7-1/2" | 6 | .65 lbs. |



EXTENSIONS

A wide selection to provide the specific length necessary to reach nuts and bolts that are not readily accessible.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA |
|----------|--------|-----------|-----------|
| 50J | 1-1/2" | 6 | 15 lbs. |
| 51J | 2-5/8" | 6 | .18 lbs. |
| 52J | 3" | 6 | .20 lbs. |
| 53J | 5" | 6 | .23 lbs. |
| 54J | 6" | 6 | .25 lbs. |
| 57J | 10" | 6 | .40 lbs. |
| 58J | 12" | 6 | .45 lbs. |
| 59J | 18" | 6 | .65 lbs. |
| | | | |



FLEXHANDLE

A touch tool with 90° swing in drive end, for breaking loose those tight fasteners.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 12.1 | 8" | 6 | .60 lbs. |



SPEEDER HANDLE

For use in those special situations when speed and reach are required.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA |
|----------|---------|-----------|-----------|
| 62J | 16-1/2" | 6 | 1.00 lbs. |



SLIDING TEE HANDLE

Head slides to any position on bar.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 42J | 8" | 6 | .40 lbs. |













UNIVERSAL JOINT

Spring loaded joint holds tool at desired angle while working in tight areas.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 33J | 2" | 6 | .14 lbs. |

ADAPTORS

Converts 3/8 Drive either down to 1/4" or up to 1/2" Drive.

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|---------------|---------|----------|------------|
| 90 | 3/8 F x 1/4 M | 1-1/16" | 6 | .07 lbs. |
| 98 | 3/8 F x 1/2 M | 1-1/4" | 6 | .10 lbs. |

6 POINT REGULAR SOCKETS

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA |
|----------|--------|---------|----------|-----------|
| 308X | 1/4" | 1" | 6 | .05 lbs. |
| 310X | 5/16" | 1" | 6 | .05 lbs. |
| 312X | 3/8" | 1-1/16" | 6 | .05 lbs. |
| 314X | 7/16" | 1-1/16" | 6 | .05 lbs. |
| 316X | 1/2" | 1-1/16" | 6 | .05 lbs. |
| 318X | 9/16" | 1-1/16" | 6 | .08 lbs. |
| 320X | 5/8" | 1-1/16" | 6 | .09 lbs. |
| 322X | 11/16" | 1-1/16" | 6 | .13 lbs. |
| 324X | 3/4" | 1-1/16" | 6 | .16 lbs. |
| | | | | |

12 POINT REGULAR SOCKETS

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA |
|----------|--------|---------|----------|-----------|
| 308 | 1/4" | 1" | 6 | .05 lbs. |
| 310 | 5/16" | 1" | 6 | .05 lbs. |
| 312 | 3/8" | 1-1/16" | 6 | .05 lbs. |
| 314 | 7/16" | 1-1/16" | 6 | .05 lbs. |
| 316 | 1/2" | 1-1/16" | 6 | .05 lbs. |
| 318 | 9/16" | 1-1/16" | 6 | .05 lbs. |
| 320 | 5/8" | 1-1/16" | 6 | .09 lbs. |
| 322 | 11/16" | 1-1/16" | 6 | .13 lbs. |
| 324 | 3/4" | 1-1/16" | 6 | .16 lbs. |
| 326 | 13/16" | 1-1/16" | 6 | .19 lbs. |
| 328 | 7/8" | 1-1/16" | 6 | .19 lbs. |
| 330 | 15/16" | 1-1/16" | 6 | .19 lbs. |
| 332 | 1" | 1-1/16" | 6 | .19 lbs. |

6 POINT DEEP SOCKETS

| SIZE | LENGTH | STD PKG. | WEIGHT EA |
|-------|---------------|-----------------------------|---------------------------------|
| | | UID ING. | WEIGHTEA |
| 3/8" | 2-1/8" | 6 | .11 lbs. |
| 7/16" | 2-1/8" | 6 | .13 lbs. |
| 1/2" | 2-1/4" | 6 | .13 lbs. |
| 9/16" | 2-1/4" | 6 | .16 lbs. |
| | 7/16" 1/2" | 7/16" 2-1/8" 1/2" 2-1/4" | 7/16" 2-1/8" 6 1/2" 2-1/4" 6 |



12 POINT DEEP SOCKETS

| The second second | - | | | |
|-------------------|--------|--------|----------|------------|
| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
| 612J | 3/8" | 2-1/8" | 6 | .11 lbs. |
| 614J | 7/16" | 2-1/8" | 6 | .13 lbs. |
| 616J | 1/2" | 2-1/4" | 6 | .13 lbs. |
| 618J | 9/16" | 2-1/4" | 6 | .16 lbs. |
| 620J | 5/8" | 2-3/8" | 6 | .22 lbs. |
| 622J | 11/16" | 2-3/8" | 6 | .22 lbs. |
| 624J | 3/4" | 2-3/8" | 6 | .28 lbs. |
| 626J | 13/16" | 2-1/2" | 6 | .34 lbs. |
| 628J | 7/8" | 2-1/2" | 6 | .38 lbs. |
| | | | | |





Outside hex and female square. Can be turned with any hand wrench or ratchet. Neoprene insert protects porcelain on plug for easy removal.

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|--------------|--------|----------|------------|
| 626JR | 13/16" 6 Pt. | 2-1/2" | 6 | .31 lbs. |
| 620JR | 5/8" 6 Pt. | 2-1/2" | 6 | .22 lbs. |



UNIVERSAL SPARKPLUG SOCKETS

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|--------|--------|----------|------------|
| 420JR | 5/8" | 2-3/4" | 6 | .33 lbs. |
| 426JR | 13/16" | 2-3/4" | 6 | .34 lbs. |



6 POINT UNIVERSAL SOCKETS

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|-------|--------|-----------|------------|
| 412JX | 3/8" | 2" | 6 | .09 lbs. |
| 414.JX | 7/16" | 2" | 6 | 09 lbs |



12 POINT UNIVERSAL SOCKETS

| PART NO. | SIZE | LENGTH | STD, PKG. | WEIGHT EA |
|----------|--------|--------|-----------|-----------|
| 412J | 3/8" | 2" | 6 | .09 lbs. |
| 414J | 7/16" | 2" | 6 | .09 lbs. |
| 416J | 1/2" | 2" | 6 | .09 lbs. |
| 418J | 9/16" | 2" | 6 | .09 lbs. |
| 420J | 5/8" | 2" | 6 | .13 lbs. |
| 422J | 11/16" | 2" | 6 | .13 lbs. |
| 424J | 3/4" | 2" | 6 | .13 lbs. |



3/8" DRIVE METRIC TOOLS THORSEN TOOL



HEX BIT SOCKETS

Hex Heads are accurate and provide good fit in Hollowhead set

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|-------|--------|----------|------------|
| HK-5 | 5/32" | 2" | 6 | .09 lbs. |
| HK-6 | 3/16" | 2" | 6 | .09 lbs. |
| HK-7 | 7/32" | 2" | 6 | .09 lbs. |
| HK-8 | 1/4" | 2" | 6 | .09 lbs. |
| HK-10 | 5/16" | 2" | 6 | .13 lbs. |
| HK-12 | 3/8" | 2" | 6 | .13 lbs. |



STOPLIGHT AND OIL PRESSURE LIGHT SOCKET

Special 1" and 1-1/16" double socket for stop light and oil pressure light switches.

| PART NO. | SIZE | LENGTH | STD PKG | WEIGHT EA. |
|----------|---------|--------|---------|------------|
| 382 | 1-1/16" | 1-7/8" | 6 | .40 lbs. |



METRIC 6 POINT METRIC REGULAR SOCKETS



| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA |
|----------|------|---------|----------|-----------|
| 7MM | 7MM | 1" | 6 | .05 lbs. |
| 8MM | 8MM | 1" | 6 | .05 lbs. |
| 9MM | 9MM | 1" | 6 | .05 lbs. |
| 10MM | 10MM | 1" | 6 | .05 lbs. |
| 11MM | 11MM | 1" | 6 | .05 lbs. |
| 12MM | 12MM | 1-1/16" | 6 | .06 lbs. |
| 13MM | 13MM | 1-1/16" | 6 | .06 lbs. |
| 14MM | 14MM | 1-1/16" | 6 | .06 lbs. |
| 15MM | 15MM | 1-1/16" | 6 | .06 lbs. |
| 16MM | 16MM | 1-1/16" | 6 | .09 lbs. |
| 17MM | 17MM | 1-1/16" | 6 | .09 lbs. |
| 18MM | 18MM | 1-1/16" | 6 | .09 lbs. |
| 19MM | 19MM | 1-1/16" | 6 | .09 lbs. |
| 21MM | 21MM | 1-1/16" | 6 | .10 lbs. |
| 22MM | 22MM | 1-1/16" | 6 | .10 lbs. |
| 24MM | 24MM | 1-1/16" | 6 | .10 lbs. |



METRIC 6 POINT METRIC DEEP SOCKETS

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|------|--------|----------|------------|
| 21510 | 10MM | 2" | 6 | .11 lbs. |
| 21511 | 11MM | 2" | 6 | .13 lbs. |
| 21512 | 12MM | 2"- | 6 | .14 lbs. |
| 21513 | 13MM | 2-1/8" | 6 | .15 lbs. |



METRIC 12 POINT METRIC DEEP SOCKETS

| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|------|--------|----------|------------|
| 21614 | 14MM | 2-1/8" | 6 | .18 lbs. |
| 21615 | 15MM | 2-1/8" | 6 | .21 lbs. |
| 21617 | 17MM | 2-1/4" | 6 | .23 lbs. |
| 21619 | 19MM | 2-1/4" | 6 | .28 lbs. |
| | | | | |



A small 10 piece starter set. Seven middle range sockets plus extension and reversible ratchet.

| PART | SIZE & | | PART | SIZE & | IPTION |
|---------------------|-----------------------|---|------------|----------------|----------------------------|
| NO. | DESCRIPTION | | NO | DESCR | |
| 53J | 5" Ext | | 318 | 9/16" | 12 Pt. Skt. |
| 77JC | Rev. R | | 320 | 5/8" | 12 Pt. Skt. |
| 312X 314X 316 | 3/8" 7/16" 1/2" | 6 Pt. Skt. 6 Pt. Skt. 12 Pt. Skt. | 322 324 | 11/16" 3/4" | 12 Pt. Skt. 12 Pt. Skt. |

Black enamel metal box $8-3/4^{\prime\prime}$ x $3^{\prime\prime}$ x $2^{\prime\prime}$ STD. PKG. 1 WEIGHT 2.30 LBS.



SET NO. 3811 12 PC. 3/8" DRIVE SOCKET SET

A more complete basic set. Socket sizes range from 3/8"-7/8". Also includes reversible ratchet and extension.

| PART | SIZE & | PART | SIZE & DESCRIPTION |
|---|---|---------------------------------|--|
| NO. | DESCRIPTION | NO. | |
| 53J 77JC 312X 314X 316 318 | 5" Ext. Rev. Ratchet 3/8" 6 Pt. Skt. 7/16" 6 Pt. Skt. 1/2" 12 Pt. Skt. 9/16" 12 Pt. Skt. | 320 322 324 326 328 | 5/8" 12 Pt, Skt. 11/16" 12 Pt, Skt. 3/4" 12 Pt, Skt. 13/16" 12 Pt, Skt. 7/8" 12 Pt, Skt. |

Black enamel metal box $8-3/4^{\prime\prime}$ x 3 $^{\prime\prime}$ x 2 $^{\prime\prime}$ STD. PKG. 1 WEIGHT 2.80 LBS.



SET NO. 3814 20 PC. 3/8" DRIVE SOCKET SET

An excellent intermediate range set that includes the most popular — regular and deep — sockets and attachments. Excellent for automotive and engine repair.

| PART NO. | DESCRIPTION | | PART NO. | SIZE & DESCRI | PTION |
|-------------|-------------|-------------|-------------|------------------|------------------|
| 77JC | | | 326 | 13/16" | 12 Pt. Skt. |
| 51J | 2-5/8" | Ext. | 328 | 7/8" | 12 Pt. Skt. |
| 53J | 5" | Ext. | 612JX | 3/8" | 6 Pt. Deep Skt. |
| 312X | 3/8" | 6 Pt. Skt. | 614JX | 7/16" | 6 Pt. Deep Skt |
| 314X | 7/16" | 6 Pt. Skt. | 616J | 1/2" | 12 Pt. Deep Skt. |
| 316 | 1/2" | 12 Pt. Skt. | 618J | 9/16" | 12 Pt. Deep Skt. |
| 318 | 9/16" | 12 Pt. Skt. | 622J | 11/16" | 12 Pt. Deep Skt. |
| 320 | 5/8" | 12 Pt. Skt. | 624J | 3/4" | 12 Pt. Deep Skt. |
| 322 | 11/16" | 12 Pt. Skt. | 620JR | 5/8" | Spkplg. Skt. |
| 324 | 3/4" | 12 Pt. Skt. | | | The same |

Black enamel metal box 17-5/8" x 4-3/8" x 1-5/8" STD. PKG. 1 WEIGHT 5.40 LBS.





SET NO. 11013 13 PC. 3/8" DRIVE SOCKET SET

A popular 13 piece $3/8^{\prime\prime}$ drive socket set featuring the easy to carry blow molded handled tool box. Great set for home, car or boat.

| PART NO. | SIZE & DESCR | IPTION | PART NO. | SIZE & DESCRIPTION |
|---|--|--------|---|---|
| 53J 77JC 620JR 312X 314X 316 | 5" Ext. 3/8" R 5/8" 3/8" 7/16" 1/2" | | 318 320 Skt. 322 324 326 328 | 9/16" 12 Pt. Skt. 5/8" 12 Pt. Skt. 11/16" 12 Pt. Skt. 3/4" 12 Pt. Skt. 13/16" 12 Pt. Skt. 7/8" 12 Pt. Skt. |

Black blow molded box with handle 12" x 5-1/4" x 1-3/4" STD, PKG, 1 WEIGHT 2.23 LBS.



SET NO. 3808-U 3/8" DRIVE UNIVERSAL SET

Universal socket set — 8 pieces. 7 popular size universal sockets — each with full 120° swing.

| PART | SIZE & | | PART | SIZE & |
|--------------------------------|--------------------------------|--|----------------------|--|
| NO. | DESCRIPTION | | NO. | DESCRIPTION |
| 412JX 414JX 416J 418J | 3/8" 7/16" 1/2" 9/16" | 6 Pt. Univ. Skt. 6 Pt. Univ. Skt. 12 Pt. Univ. Skt. 12 Pt. Univ. Skt. | 420J 422J 424J | 5/8" 12 Pt. Univ. Skt. 11/16" 12 Pt. Univ. Skt. 3/4" 12 Pt. Univ. Skt. |

Black enamel metal box 6" x 2" x 1" STD. PKG. 1 WEIGHT 1.40 LBS.



SET NO. 3807 7 PC. HEX BIT SOCKET SET

| PART NO. | SIZE & DESCR | IPTION | PART NO. | SIZE & DESCR | IPTION |
|----------------------|-------------------------|--|---------------|-----------------|------------------------------|
| HK-5 HK-6 HK-7 | 5/32" 3/16" 7/32" | Hex Bit Skt. Hex Bit Skt. Hex Bit Skt. | HK-8 HK-10 | 1/4" 5/16" | Hex Bit Skt. Hex Bit Skt. |

Black enamel metal box 6-3/16" x 2-3/16" x 1-3/16" STD. PKG. 1 WEIGHT 1.50 LBS.



SET NO. 3809DP 9 PC. 3/8" DEEP SOCKET SET

A nine piece deep socket set. Thin wall set includes the most popular sizes; 3/8" - 13/16".

| PART NO. | SIZE & DESCR | IPTION | PART NO. | SIZE & DESCRIPTION | |
|--------------------------------|--------------------------------|--|------------------------------|--|------------------|
| 612JX 614JX 616J 618J | 3/8" 7/16" 1/2" 9/16" | 6 Pt. Deep Skt. 6 Pt. Deep Skt. 12 Pt. Deep Skt. 12 Pt. Deep Skt. | 620J 622J 624J 626J | 5/8" 12 Pt. Dee 11/16" 12 Pt. Dee 3/4" 12 Pt. Dee 13/16" 12 Pt. Dee | p Skt. p Skt. |

Black enamel metal box 8-3/4" x 3" x 2" STD. PKG. 1 WEIGHT 2.40 LBS.



SET NO. 3826 26 PC. 3/8" DRIVE SOCKET SET

| PART | SIZE & DESCRIPTION | PART | SIZE & | PART | SIZE & |
|---------------------|---|------------------|--------------------|-------------|---|
| NO. | | NO. | DESCRIPTION | NO. | DESCRIPTION |
| 77JC | Reversible Ratchet | 318 | 9/16" 12 Pt. Skt. | 614JX | 7/16" Deep 6 Pt. Skt. |
| 51J | 2-5/8" Ext. | 320 | 5/8" 12 Pt. Skt. | 616J | 1/2" Deep 12 Pt. Skt. |
| 308X | 1/4" 6 Pt. Skt. | 322 | 11/16" 12 Pt. Skt. | 618J | 9/16" Deep 12 Pt. Skt. |
| 310X | 5/16" 6 Pt. Skt. | 324 | 3/4" 12 Pt. Skt. | 7 pc. | Hex Key Set |
| 312X 314X 316 | 3/8" 6 Pt. Skt. 7/16" 6 Pt. Skt. 1/2" 12 Pt. Skt. | Spin Di 620JR | 5/8" Spkplg, Skt. | 064 013P | 1/4" X 4" Cab Scrwdr. No. 1 Recessed Scrwdr. |

Black enamel metal box 17-5/8" x 4-3/8" x 1-5/8" STD. PKG. 1 WEIGHT 4.70 LBS.



SET NO. 3835 35 PC. 3/8" DRIVE SOCKET SET

Thorsen 3/8" Drive Master Set — 35 piece set contains 7 attachments plus popular range of universal sockets, regular sockets and deep sockets! — Automotive, Farm, Home — jobs made easy with this popular set.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|---------------------------------------|-------------|-------------------------|-------------|--------------------------|
| 12J | Flexhandle | 322 | 11/16" 12 Pt. Skt. | 422J | 11/16" 12 Pt. Univ. Skt. |
| 33J | Univ. Joint | 324 | 3/4" 12 Pt. Skt. | 424J | 3/4" 12 Pt. Univ. Skt. |
| 51J | 2-5/8" Extension | 326 | 13/16" 12 Pt. Skt. | 612JX | 3/8" 6 Pt. Deep Skt. |
| 53J | 5" Ext. | 328 | 7/8" 12 Pt. Skt. | 614JX | 7/16" 6 Pt. Deep Skt. |
| 57J | 10" Ext. | 330 | 15/16" 12 Pt. Skt. | 616J | 1/2" 12 Pt. Deep Skt. |
| 62J | 16" Speeder | 332 | 1" 12 Pt. Skt. | 618J | 9/16" 12 Pt. Deep Skt. |
| 77JC | Rev. Ratchet | 412JX | 3/8" 6 Pt. Univ. Skt. | 620J | 5/8" 12 Pt. Deep Skt. |
| 312X | 3/8" 6 Pt. Skt. | 414JX | 7/16" 6 Pt. Univ. Skt. | 622J | 11/16" 12 Pt. Deep Skt. |
| 314X | 7/16" 6 Pt. Skt. | 416J | 1/2" 12 Pt. Univ. Skt. | 624J | 3/4" 12 Pt. Deep Skt. |
| 316 | 1/2" 12 Pt. Skt. | 418J | 9/16" 12 Pt. Univ. Skt. | 626J | 13/16" 12 Pt. Deep Skt. |
| 318 320 | 9/16" 12 Pt. Skt. 5/8" 12 Pt. Skt. | 420J | 5/8" 12 Pt. Univ. Skt. | 626JR | 13/16" Spkplg. Skt. |

Black enamel metal box STD. PKG. 1 WEIGHT 8.50 LBS.

METRIC SET NO. CS-14 14 PC. 3/8" DRIVE METRIC SOCKET CLIP SET

A 14 piece clip of metric sockets for those who already have the necessary $3/8^{\prime\prime}$ drive attachments.



| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|--------------|------------------------------------|--------------|------------------------------------|--|
| 7MM | 7MM 6 Pt. Skt. | 14MM | 14MM 6 Pt. Skt. | |
| 8MM | 8MM 6 Pt. Skt. | 15MM | 15MM 6 Pt. Skt. | |
| 9MM | 9MM 6 Pt. Skt. | 16MM 17MM | 16MM 6 Pt. Skt. 17MM 6 Pt. Skt. | |
| 10MM | 10MM 6 Pt. Skt. | 18MM | 18MM 6 Pt. Skt. | |
| 11MM 12MM | 11MM 6 Pt. Skt. 12MM 6 Pt. Skt. | 19MM | 19MM 6 Pt. Skt. | |
| 13MM | 13MM 6 Pt. Skt. | TOWN | 1 SIVILVI O T L. OKC. | |

Metal clip tray STD. PKG. 1 WEIGHT 1.34 LBS.


METRIC SET NO. M-3813 13 PC. 3/8" DRIVE METRIC SOCKET SET



| PART | SIZE & | PART | SIZE & | |
|------|-----------------|------|-----------------|--|
| NO. | DESCRIPTION | NO. | DESCRIPTION | |
| 53J | 5" Ext. | 11MM | 11MM 6 Pt. Skt. | |
| 77JC | Rev. Ratchet | 12MM | 12MM 6 Pt. Skt. | |
| 7MM | 7MM 6 Pt. Skt. | 13MM | 13MM 6 Pt. Skt. | |
| 8MM | 8MM 6 Pt. Skt. | 14MM | 14MM 6 Pt. Skt. | |
| 9MM | 9MM 6 Pt. Skt. | 17MM | 17MM 6 Pt. Skt. | |
| 10MM | 10MM 6 Pt. Skt. | 19MM | 19MM 6 Pt. Skt. | |

Black enamel metal box 8-3/4" x 3" x 2" STD, PKG, 1 WEIGHT 4.00 LBS.

METRIC SET NO. M-3816 16 PC. 3/8" DRIVE METRIC SOCKET SET



A metric socket set including a full range of metric sockets plus 3/8" drive ratchet and 5" extension.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------------|-------------|-----------------------|
| 53J | 5" Ext. | 13MM | 13MM 6 Pt. Skt. |
| 77JC | Rev. Ratchet | 14MM | 14MM 6 Pt. Skt. |
| 7MM | 7MM 6 Pt. Skt. | 15MM | 15MM 6 Pt. Skt. |
| 8MM | 8MM 6 Pt. Skt. | 16MM | 16MM 6 Pt. Skt. |
| 9MM | 9MM 6 Pt. Skt. | 17MM | 17MM 6 Pt. Skt. |
| 10MM | 10MM 6 Pt. Skt. | 18MM | 18MM 6 Pt. Skt. |
| 11MM | 11MM 6 Pt. Skt. | 19MM | 19MM 6 Pt. Skt. |
| 12MM | 12MM 6 Pt. Skt. | | 45.000 |

Black enamel metal box 11" x 3" x 1-1/2" STD. PKG. 1 WEIGHT 4.62 LBS.

SET NO. M3814 20 PC. 3/8" DRIVE METRIC SOCKET SET

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------------|-------------|---------------------------|
| 51J | 2-5/8" Ext. | 17MM | 17MM 6 Pt, Socket |
| 53J | 5" Ext. | 19MM | 19MM 6 Pt. Socket |
| 77JC | Rev. Ratchet | 21511 | 11MM 6 Pt. Deep Socket |
| 8MM | 8MM 6 Pt. Socket | 21512 | 12MM 6 Pt. Deep Socket |
| 10MM | 10MM 6 Pt. Socket | 21513 | 13MM 6 Pt. Deep Socket |
| 11MM | 11MM 6 Pt. Socket | 21614 | 14MM 12 Pt. Deep Skt. |
| 12MM | 12MM 6 Pt. Socket | 21617 | 17MM 12 Pt. Deep Skt. |
| 13MM | 13MM 6 Pt. Socket | 21619 | 19MM 12 Pt. Deep Skt. |
| 14MM | 14MM 6 Pt. Socket | 626JR | 13/16" 6 Pt. Spkplg, Skt. |
| 15MM | 15MM 6 Pt Socket | | |

Black enamel metal box 17-5/8" x 4-3/8" x 1-5/8" STD. PKG. 1 WEIGHT 5.54 LBS.

METRIC



SET NO. 21013 13 PC. 3/8" DRIVE METRIC SOCKET SET

A popular 13 piece 1/2" Drive Metric Tool Set featuring the most commonly used sockets and attachments. All tools come in easy to carry blow molded handled box.

| PART | SIZE & | PART | SIZE & DESCRIPTION |
|-------|---------------------------|------|--------------------|
| NO. | DESCRIPTION | NO. | |
| 53J | 5" Ext. | 12MM | 12MM 6 Pt. Skt. |
| 77JC | 3/8" Ratchet | 13MM | 13MM 6 Pt. Skt. |
| 626JR | 13/16" 6 Pt. Spkplg, Skt. | 14MM | 14MM 6 Pt. Skt. |
| 8MM | 8MM 6 Pt. Skt. | 15MM | 15MM 6 Pt. Skt. |
| 10MM | 10MM 6 Pt. Skt. | 17MM | 17MM 6 Pt. Skt. |
| 11MM | 11MM 6 Pt. Skt. | 19MM | 19MM 6 Pt. Skt. |

Black blow molded box 12" x 5" x 1-7/8" STD. PKG. 1 WEIGHT 2.12 LBS.

METRIC





REVERSIBLE RATCHETS

A precision, closed head ratchet. Knurled handle for non-slip grip.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA |
|----------|-------------------|--|-----------|
| 77C | 10-1/2" | 6 | 1.40 lbs. |
| 77NR | 14" | 6 | 1.70 lbs. |
| RK1/2 | Ratchet Renewal F | <it 1<="" td=""><td>.20 lbs.</td></it> | .20 lbs. |

EJECTOR RATCHET

Thorsen's new "Positive Eject" Ratchet. Pushing turn knob easily pushes socket off square. Patented and patent pending (Available 1979).

| PART NO. | LENGTH | STD PKG. | WEIGHT EA. |
|----------|---------|----------|------------|
| 89 | 10-1/2" | 6 | 1.45 lbs. |

EXTENSIONS

Attachment for use in reaching fasteners that are not readily accessible.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 51 | 2" | 6 | .25 lbs. |
| 53 | 5" | 6 | .41 lbs. |
| 57 | 10" | 6 | .65 lbs. |

FLEXHANDLES

The proper tool for applying extra leverage to tighten or break loose fasteners.

| - | | | | |
|---|----------|---------|-----------|------------|
| | PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
| | 13 | 9 | 6 | 1.18 lbs. |
| | 16 | 17-1/2" | 6 | 1.60 lbs. |

SPEEDER HANDLE

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|---------|-----------|------------|
| 62 | 17-1/2" | 3 | 1.45 lbs. |

T-HANDLE

Head slides full length of bar.

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 42 | 11" | 6 | 1.00 lbs. |

UNIVERSAL JOINT

Attachment used to facilitate work in hard to reach areas. Spring loaded friction holds head at desired angle.

| PART NO. | LENGTH | STD, PKG. | WEIGHT EA. |
|----------|---------|-----------|------------|
| 33 | 2-5/16" | 6 | .25 lbs. |

ADAPTORS

Will allow use of 1/2 drive with either 3/8 or 3/4 attachments or sockets.

| - | PART NO. | SIZE | STD. PKG. | WEIGHT EA. |
|---|----------|-----------|-----------|------------|
| - | 94 | 1/2Fx3/8M | 6 | .15 lbs. |
| | 95 | 1/2Fx3/4M | 6 | .30 lbs. |

STUD REMOVER

Remover will remove or install 1/4" to 3/4" studs. Drive socket extends through entire housing. Easy to disassemble.

| PART NO. | SIZE | STD, PKG. | WEIGHT EA. |
|----------|------------|-----------|------------|
| 52SR | 1/2" drive | 1 | .70 lbs. |



| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 512X | 3/8" | 2" | 6 | .13 lbs |
| 514X | 7/16" | 2" | 6 | .13 lbs. |
| 516X | 1/2" | 2" | 6 | .13 lbs. |
| 518X | 9/16" | 2" | 6 | .13 lbs. |
| 520X | 5/8" | 2-1/4" | 6 | .13 lbs. |
| 522X | 11/16" | 2-1/4" | 6 | .16 lbs. |
| 524X | 3/4" | 2-1/4" | 6 | .19 lbs. |
| | | | | |



| PART NO | SIZE | LENGTH | STD, PKG, | WEIGHT EA |
|---------|---------|--------|-----------|-----------|
| 512 | 3/8" | 2" | 6 | .13 lbs. |
| 514 | 7/16" | 2" | 6 | .13 lbs. |
| 516 | 1/2" | 2" | 6 | .13 lbs. |
| 518 | 9/16" | 2" | 6 | .13 lbs. |
| 519 | 19/32" | 2" | 6 | .13 lbs. |
| 520 | 5/8" | 2-1/4" | 6 | .13 lbs. |
| 521 | 21/32" | 2-1/4" | 6 | .13 lbs. |
| 522 | 11/16" | 2-1/4" | 6 | .16 lbs. |
| 524 | 3/4" | 2-1/4" | 6 | .19 lbs. |
| 525 | 25/32" | 2-1/4" | 6 | .19 lbs. |
| 526 | 13/16" | 2-1/2" | 6 | .22 lbs. |
| 528 | 7/8" | 2-1/2" | 6 | .25 lbs. |
| 530 | 15/16" | 2-1/2" | 6 | .38 lbs. |
| 532 | 1" | 2-1/2" | 6 | .28 lbs. |
| 534 | 1-1/16" | 2-1/2" | 6 | .44 lbs. |
| 536 | 1-1/8" | 2-1/2" | 6 | .50 lbs. |
| 538 | 1-3/16" | 2-1/2" | 6 | .50 lbs. |
| 540 | 1-1/4" | 2-1/2" | 6 | .62 lbs. |



| PART NO. | SIZE | LENGTH | STD, PKG. | WEIGHT EA |
|----------|---------|--------|-----------|-----------|
| 614 | 7/16" | 2" | 6 | .09 lbs. |
| 616 | 1/2" | 2" | 6 | .13 lbs. |
| 618 | 9/16" | 2" | 6 | .16 lbs. |
| 620 | 5/8" | 2-1/4" | 6 | .22 lbs. |
| 622 | 11/16" | 2-1/4" | 6 | .22 lbs. |
| 624 | 3/4" | 2-1/4" | 6 | .28 lbs. |
| 626 | 13/16" | 2-1/2" | 6 | .34 lbs. |
| 628 | 7/8" | 2-1/2" | 6 | .50 lbs. |
| 630 | 15/16" | 2-1/2" | 3 | .56 lbs. |
| 632 | 1" | 2-1/2" | 3 | .62 lbs. |
| 634 | 1-1/16" | 2-1/2" | 3 | .72 lbs. |
| 636 | 1-1/8" | 2-1/2" | 3 | .81 lbs. |

SPARKPLUG SOCKETS

Outside hex and female square. Can be turned with any hand wrench or ratchet. Neoprene insert protects porcelain on plug. Holds plug for easy removal and prevents burned fingers.

| SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|---------------|---|--|
| 5/8" | 2-1/2" | 6 | .27 lbs. |
| 13/16" | 2-1/2" | 6 | .33 lbs. |
| g length sp | arkplug socke | ts without ne | oprene insert |
| 13/16" | 3-3/8" | 6 | .40 lbs. |
| 7/8" | 3-5/8" | 6 | .40 lbs. |
| | 13/16" | 5/8" 2-1/2" 13/16" 2-1/2" g length sparkplug socke 13/16" 3-3/8" | 5/8" 2-1/2" 6 13/16" 2-1/2" 6 g length sparkplug sockets without ne 13/16" 3-3/8" 6 |

Note: 13/16" for 14mm sparkplugs 7/8" for 18mm sparkplugs

DRAGLINK SOCKETS

For adjusting draglinks or use as a heavy duty screwdriver with slotted nuts or screws.

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|-------------|--------|-----------|------------|
| 576 | 15/16" wide | 2" | 6 | .19 lbs. |











IMPACT 6 POINT IMPACT SOCKETS



| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 5114H | 7/16" | 1-1/2" | 6 | .15 lbs. |
| 5116H | 1/2" | 1-1/2" | 6 | .15 lbs. |
| 5118H | 9/16" | 1-1/2" | 6 | .15 lbs. |
| 5120H | 5/8" | 1-1/2" | 6 | .15 lbs. |
| 5122H | 11/16" | 1-1/2" | 6 | .15 lbs. |
| 5124H | 3/4" | 1-1/2" | 6 | .15 lbs. |
| 5126H | 13/16" | 1-1/2" | 6 | .19 lbs. |
| 5128H | 7/8" | 1-1/2" | 6 | .19 lbs. |
| | | | | |

METRIC 12 POINT METRIC REGULAR SOCKETS



| PART NO. | SIZE | LENGTH | STD PKG. | WEIGHT EA. |
|----------|------|--------|----------|------------|
| 509M | 9MM | 2" | 6 | .13 lbs. |
| 510M | 10MM | 2" | 6 | .13 lbs. |
| 511M | 11MM | 2" | 6 | .13 lbs. |
| 512M | 12MM | 2" | 6 | .13 lbs. |
| 513M | 13MM | 2" | 6 | .13 lbs. |
| 514M | 14MM | 2" | 6 | .13 lbs. |
| 515M | 15MM | 2" | 6 | .13 lbs. |
| 517M | 17MM | 2" | 6 | .13 lbs. |
| 519M | 19MM | 2" | 6 | .13 lbs. |
| 522M | 22MM | 2-1/4" | 6 | .13 lbs. |
| 524M | 24MM | 2-1/4" | 6 | .16 lbs. |
| 527M | 27MM | 2-1/2" | 6 | .19 lbs. |
| 530M | 30MM | 2-1/2" | 6 | .38 lbs. |
| 532M | 32MM | 2-1/2" | 6 | .28 lbs. |
| 536M | 36MM | 2-1/2" | 6 | .50 lbs. |

1/2" DRIVE SETS



SET NO. 1210DP 10 PC. 1/2" DRIVE SET

Full popular range of 1/2" deep sockets. 10 piece set, sizes 1/2" through 1". A must for auto, tractor and industrial work.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|---------------------------------|--|----------------------------|--|
| 616 618 620 622 624 | 1/2" 12 Pt. Deep Sk 9/16" 12 Pt. Deep Sk 5/8" 12 Pt. Deep Sk 11/16" 12 Pt. Deep Sk 3/4" 12 Pt. Deep Sk | t. 628 t. 630 t. 632 | 13/16" 12 Pt. Deep Skt. 7/8" 12 Pt. Deep Skt. 15/16" 12 Pt. Deep Skt. 1" 12 Pt. Deep Skt. |

Black enamel metal box STD. PKG. 1 WEIGHT: 5.30 LBS.





A basic 1/2" drive set for the economy minded. Ten sockets plus 18" flexhandle. Perfect for occasional work — an excellent starter set.

| PART | SIZE & | PART | SIZE & DESCRIPTION |
|---------------------------------------|--|---------------------------------|--|
| NO. | DESCRIPTION | NO. | |
| 16 514 516 518 520 522 | Flexhandle 7/16" 12 Pt. Skt. 1/2" 12 Pt. Skt. 9/16" 12 Pt. Skt. 5/8" 12 Pt. Skt. 11/16" 12 Pt. Skt. | 524 526 528 530 532 | 3/4" 12 Pt. Skt. 13/16" 12 Pt. Skt. 7/8" 12 Pt. Skt. 15/16" 12 Pt. Skt. 1" 12 Pt. Skt. |

Black enamel metal box 16-1/4" x 3-1/2" x 1-3/4" STD. PKG. 1 WEIGHT: 4.96 LBS.

SET NO. 1214 14 PC. 1/2" DRIVE SOCKET SET

A 14 piece set containing 10 regular sockets, ratchet, 5" extension. Socket range of 7/16" through 1" plus sparkplug socket.

| PART | SIZE & | PART | SIZE & |
|--|---|---|---|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 53 77C 514 516 518 520 522 | 5" Ext. Rev. Ratchet 7/16" 12 Pt. Skt. 1/2" 12 Pt. Skt. 9/16" 12 Pt. Skt. 5/8" 12 Pt. Skt. 11/16" 12 Pt. Skt. | 524 526 528 530 532 626R | 3/4" 12 Pt, Skt. 13/16" 12 Pt, Skt. 7/8" 12 Pt, Skt. 15/16" 12 Pt, Skt. 1" 12 Pt, Skt. 13/16" 6 Pt, Spkplg, Skt. |

Black enamel metal box 11-3/4" x 4" x 1-3/4" STD. PKG. 1 WEIGHT: 5.60 LBS.



SET NO. 12014 14 PC- 1/2" DRIVE SOCKET SET

A 14 piece set containing 10 regular sockets, ratchet, 5" extension. Socket range of 7/16" through 1" plus sparkplug socket.

| PART | SIZE & | PART | SIZE & |
|--|---|---|---|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 53 77C 514 516 518 520 522 | 5"Ext Rev. Ratchet 7/16" 12 Pt. Skt. 1/2" 12 Pt. Skt. 9/16" 12 Pt. Skt. 5/8" 12 Pt. Skt. 11/16" 12 Pt. Skt. | 524 526 528 530 532 626R | 3/4" 12 Pt. Skt. 13/16" 12 Pt. Skt. 7/8" 12 Pt. Skt. 15/16" 12 Pt. Skt. 1" 12 Pt. Skt. 13/16" 6 Pt. Spkplg. Skt. |

Black blow molded box 12-3/4" x 5-1/4" x 2" STD. PKG. 1 WEIGHT 3.40 LBS.



SET NO. 1215 15 PC. 1/2" DRIVE SOCKET SET

An intermediate 15 piece set including twelve sockets, ratchet and 18" flexhandle, Socket range of 7/16" to 1-1/8" covers most automotive sizes. An excellent basic set. Attachments can be added.

| PART NO. | SIZE & DESCRII | PTION | PART NO. | SIZE & DESCRIP | PTION |
|-------------|-------------------|-------------|-------------|-------------------|-------------|
| 16 | Flexhan | dle | 524 | 3/4" | 12 Pt. Skt. |
| 77C | Rev. Ra | itchet | 526 | 13/16" | 12 Pt. Skt. |
| 514 | 7/16" | 12 Pt. Skt. | 528 | 7/8" | 12 Pt. Skt. |
| 516 | 1/2" | 12 Pt. Skt. | 530 | 15/16" | 12 Pt. Skt. |
| 518 | 9/16" | 12 Pt. Skt. | 532 | 1" | 12 Pt. Skt. |
| 520 | 5/8" | 12 Pt. Skt. | 534 | 1-1/16" | 12 Pt. Skt. |
| 522 | 11/16" | 12 Pt. Skt. | 536 | 1-1/8" | 12 Pt. Skt. |

Black enamel metal box 18" x 3-3/4" x 2" STD. PKG. 1 WEIGHT: 8.54 LBS.





SET NO. 1218 18 PC. 1/2" DRIVE SOCKET SET

An 18 piece general purpose set containing twelve sockets through 1-1/8" plus five basic 1/2" drive attachments. The homeowner's favorite, this set fills the need for most general household use. Excellent as a mechanic's starter set.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------------|-------------|--|
| 16 | Flexhandle | 522 | 11/16" 12 Pt. Skt. |
| 33 | Univ. Joint | 524 526 | 3/4" 12 Pt. Skt. 13/16" 12 Pt. Skt. |
| 53 57 | 5" Ext. 10" Ext. | 528 | 7/8" 12 Pt. Skt. |
| 77C | Rev. Ratchet | 530 | 15/16" 12 Pt. Skt. |
| 514 | 7/16" 12 Pt. Skt. | 532 | 1" 12 Pt. Skt. |
| 516 | 1/2" 12 Pt. Skt. | 534 | 1-1/16" 12 Pt. Skt. |
| 518 | 9/16" 12 Pt. Skt. | 536 | 1-1/8" 12 Pt. Skt. |
| 520 | 5/8" 12 Pt. Skt. | | |

Black enamel metal box 19" x 6" x 1-3/4" STD. PKG. 1 WEIGHT: 10.88 LBS.



SET NO. 1223 25 PC. 1/2" DRIVE SOCKET SET

The ultimate in 1/2" drive sets, this larger set comes in a hip roof box with removable tote tray. Thirteen sockets through 1-1/4" plus seven attachments and 6 combination wrenches to make this excellent for automotive, farm or heavy household work. Ample box space to add other tools.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------------|-------------|-----------------------|
| 77C | Rev. Ratchet | 524 | 3/4" 12 Pt. Skt. |
| 16 | Flexhandle | 526 | 13/16" 12 Pt. Skt. |
| 33 | Univ. Joint | 528 | 7/8" 12 Pt. Skt. |
| 53 | 5" Ext. | 530 | 15/16" 12 Pt. Skt. |
| 57 | 10" Ext. | 532 | 1" 12 Pt. Skt. |
| 514 | 7/16" 12 Pt. Skt. | 534 | 1-1/16" 12 Pt. Skt. |
| 516 | 1/2" 12 Pt. Skt. | 536 | 1-1/8" 12 Pt. Skt. |
| 518 | 9/16" 12 Pt. Skt. | 540 | 1-1/4" 12 Pt. Skt. |
| 520 | 5/8" 12 Pt. Skt. | PC6 | 6 Pc. Comb. Wr. Set |
| 522 | 11/16" 12 Pt. Skt. | | |

Black enamel metal box 19" x 7" x 7" STD. PKG. 1 WEIGHT: 20.32 LBS.

IMPACT

SET NO. 5108 8 PC. 1/2" DRIVE IMPACT SOCKET SET



| PART | SIZE & | RIPTION | PART | SIZE & |
|-------|--------|------------|-------|-------------------|
| NO. | DESCR | | NO. | DESCRIPTION |
| 5114H | 7/16" | 6 Pt. Skt. | 5122H | 11/16" 6 Pt. Skt. |
| 5116H | 1/2" | 6 Pt. Skt. | 5124H | 3/4" 6 Pt. Skt. |
| 5118H | 9/16" | 6 Pt. Skt. | 5126H | 13/16" 6 Pt. Skt. |
| 5120H | 5/8" | 6 Pt. Skt. | 5128H | 7/8" 6 Pt. Skt. |

Molded clip tray STD. PKG. 1 WEIGHT 1.98 LBS.

SET NO. CS-912 9 PC. 1/2" DRIVE METRIC SOCKET CLIP SET

METRIC

| PART | SIZE & DESCRIPTION. | PART | SIZE & |
|--------------------------------------|---|------------------------------|--|
| NO. | | NO. | DESCRIPTION |
| 509M 510M 512M 513M 514M | 9MM 12 Pt. Skt. 10MM 12 Pt. Skt. 12MM 12 Pt. Skt. 13MM 12 Pt. Skt. 14MM 12 Pt. Skt. | 515M 517M 519M 522M | 15MM 12 Pt. Skt. 17MM 12 Pt. Skt. 19MM 12 Pt. Skt. 22MM 12 Pt. Skt. |

Molded clip tray STD. PKG. 1 WEIGHT 1.54 LBS.



SET NO. M-1213 13 PC. 1/2" DRIVE METRIC SOCKET SET

An intermediate metric socket set with the essential socket range of 1/2" drive metric sockets including reversible ratchet, 5" extension, and sparkplug socket.

| PART | SIZE & | PART | SIZE & |
|------|---------------------------|------|------------------|
| NO. | DESCRIPTION. | NO. | DESCRIPTION |
| 53 | 5" Ext | 513M | 13MM 12 Pt. Skt. |
| 77C | Rev. Ratchet | 514M | 14MM 12 Pt. Skt. |
| 626R | 13/16" 6 Pt. Spkplg. Skt. | 515M | 15MM 12 Pt. Skt. |
| 509M | 9MM 12 Pt. Skt. | 517M | 17MM 12 Pt. Skt. |
| 510M | 10MM 12 Pt. Skt. | 519M | 19MM 12 Pt. Skt. |
| 512M | 12MM 12 Pt. Skt. | 522M | 22MM 12 Pt. Skt. |

Black enamel metal box 11-3/4" x 4" x 1-3/4" STD. PKG. 1 WEIGHT 5.30 LBS.

METRIC



SET NO. M1218 18 PC. 1/2" DRIVE METRIC SOCKET SET

| PART | SIZE & | PART | SIZE & | |
|---|---|--|--|--|
| NO. | DESCRIPTION | NO. | DESCRIPTION | |
| 77C 33 16 53 57 509M 510M 511M 512M | Rev. Ratchet Universal Joint Flexhandle 5" Ext 10" Ext 9MM 12 Pt. Skt. 10MM 12 Pt. Skt. 11MM 12 Pt. Skt. | 513M 514M 515M 517M 519M 522M 524M 527M | 13MM 12 Pt. Skt. 14MM 12 Pt. Skt. 15MM 12 Pt. Skt. 17MM 12 Pt. Skt. 19MM 12 Pt. Skt. 22MM 12 Pt. Skt. 24MM 12 Pt. Skt. 27MM 12 Pt. Skt. | |

Black enamel metal box 19" x 6" x 1-3/4" STD. PKG. 1 WEIGHT 10.50 LBS.

METRIC



THORSEN TOOL















REVERSIBLE RATCHET — HEAVY DUTY

Heavy Duty precision ratchet for Farm, Industrial and Automotive applications.

| | PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|---|----------|-----------------|-----------|------------|
| 0 | 79 | 19" | 1 | 4.50 lbs. |
| | RK34 | Ratchet Renewal | Kit 1 | .80 lbs. |
| | | | | |

EXTENSIONS — HEAVY DUTY

| | PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|---|----------|--------|-----------|------------|
| - | 15X | 4" | 1 | .94 lbs. |
| | 16X | 8" | 1 | 1.30 lbs. |
| | 20X | 16" | 1 | 2.30 lbs. |
| | | | | |

FLEXHANDLE - HEAVY DUTY

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 18 | 19" | - 1 | 3.80 lbs. |

T-HANDLE - HEAVY DUTY

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|-----------|------------|
| 19 | 18" | 1 | 3.00 lbs. |

UNIVERSAL JOINT - HEAVY DUTY

| PART NO. | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|----------|-----------|------------|
| 33HD | 3-11/16" | 1 | 1.30 lbs. |

ADAPTOR - HEAVY DUTY

Adapts 3/4" drives to 1/2" attachments and sockets.

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|------------|--------|-----------|------------|
| 98D | 3/4F-1/2"M | 2" | 1 | .42 lbs. |

12 POINT REGULAR SOCKETS

| 1230 15/16" 2" 1 .39 1232 1" 2" 1 .44 1234 1-1/16" 2" 1 .53 | lbs. |
|---|------|
| 1230 15/16" 2" 1 .39 1232 1" 2" 1 .44 1234 1-1/16" 2" 1 .53 | |
| 1232 1" 2" 1 .44 1234 1-1/16" 2" 1 .53 | lhe. |
| 1234 1-1/16" 2" 1 .53 | 100. |
| | lbs. |
| 1236 1-1/8" 2-1/4" 1 .59 | lbs. |
| | lbs. |
| 1240 1-1/4" 2-1/4" 1 .84 | lbs. |
| | lbs. |

SET NO. 3409 9 PC. 3/4" DRIVE SOCKET SET

An excellent 3/4" drive socket set for small jobs. Easy to carry tool tray with quick release hasp that holds 3/4" Drive Ratchet.

| PART | SIZE & | PART | SIZE & |
|------|---------------------|------|---------------------|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 1236 | 1-1/8" 12 Pt. Skt. | 1246 | 1-7/16" 12 Pt. Skt. |
| 1240 | 1-1/4" 12 Pt. Skt. | 1248 | 1-1/2" 12 Pt. Skt. |
| 1242 | 1-5/16" 12 Pt. Skt. | 1252 | 1-5/8" 12 Pt. Skt. |
| 1244 | 1-3/8" 12 Pt. Skt. | 79C | Rev. Ratchet |

Black enamel metal clip STD. PKG. 1 WEIGHT 13.6 LBS.



SET NO. 3411 11 PC. 3/4" DRIVE SOCKET SET

A basic $3/4^{\prime\prime}$ drive — sockets 1-1/16" through 1-5/8" plus ratchet, and extension. For light truck, farm tractor and industrial work.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|------------------------|--------------|---|
| 16X 79C | 8" Ext Rev. Ratchet | 1242 1244 | 1-5/16" 12 Pt. Skt. 1-3/8" 12 Pt. Skt. |
| 1234 | 1-1/16" 12 Pt. Skt. | 1246 | 1-7/16" 12 Pt. Skt. |
| 1236 | 1-1/8" 12 Pt. Skt. | 1248 | 1-1/2" 12 Pt. Skt. |
| 1240 | 1-1/4" 12 Pt. Skt. | 1252 | 1-5/8" 12 Pt. Skt. |

Black enamel metal box 18-1/2" x 2-1/4" x 4-1/4" STD, PKG. 1 WEIGHT 22.40 LBS.



SET NO. 3413 13 PC. 3/4" DRIVE SOCKET SET

A general purpose set consisting of 13 pieces, featuring 10, $3/4^{\prime\prime}$ drive sockets, sliding-T and $8^{\prime\prime}$ extension.

| PART NO. | SIZE & DESCRIP | TION. | PART NO. | SIZE & DESCRIP | PTION |
|-------------|-------------------|-------------|-------------|-------------------|-------------|
| 1228 | 7/8" | 12 Pt. Skt. | 71244 | 1-3/8 " | 12 Pt. Skt. |
| 1230 | 15/16 " | 12 Pt. Skt. | 1246 | 1-7/16" | 12 Pt. Skt. |
| 1234 | 1-1/16" | 12 Pt. Skt. | 1248 | 1-1/2 " | 12 Pt. Skt. |
| 1236 | 1-1/8 " | 12 Pt. Skt. | 1252 | 1-5/8 " | 12 Pt. Skt. |
| 1240 | 1-1/4 " | 12 Pt. Skt. | 19 | Slidina - | – T |
| 1242 | 1-5/16" | 12 Pt. Skt. | 16X | 8" Exter | nsion |

Black enamel metal box $21-1/4" \times 6" \times 3-1/4"$ STD. PKG. 1 WEIGHT





SET NO. 3417 17 PC. 3/4" DRIVE SOCKET SET

A 17 piece intermediate set in a hip roof box with removable tote tray. Thirteen sockets — 1-1/16" through 2" — serve most general purpose requirements of the heavy duty industrial, heavy automotive or farm mechanics.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIP | TION | PART NO. | SIZE & DESCRIP | TION |
|-------------|---------------------|-------------|-------------------|-------------|-------------|-------------------|-------------|
| 16X | 8" Ext. | 1240 | 1-1/4" | 12 Pt. Skt. | 1252 | 1-5/8" | 12 Pt. Skt. |
| 18 | Flexhandle | 1242 | 1-5/16" | 12 Pt. Skt. | 1256 | 1-3/4" | 12 Pt. Skt. |
| 79C | Rev. Ratchet | 1244 | 1-3/8" | 12 Pt. Skt. | 1258 | 1-13/16" | 12 Pt. Skt. |
| 1234 | 1-1/16" 12 Pt. Skt. | 1246 | 1-7/16" | 12 Pt. Skt. | 1260 | 1-7/8" | 12 Pt. Skt. |
| 1236 | 1-1/8" 12 Pt. Skt. | 1248 | 1-1/2" | 12 Pt. Skt. | 1264 | 2" | 12 Pt. Skt. |
| 1238 | 1-3/16" 12 Pt. Skt. | | | | | | |

Black enamel metal box STD. PKG. 1 WEIGHT 36.41 LBS.



SET NO. 3424 24 PC. 3/4" DRIVE SOCKET SET

The complete full range 3/4" drive set specifically designed to meet the needs of all heavy duty mechanics. Sockets range from 7/8" through 2", a range covering most frequent rail, oilfield, farm and industrial requirements. Hip roof box with carrying handle, metal hasps and lift-out tote tray make this set the most popular of Thorsen's 3/4" drive sets.

| PART NO. | SIZE & DESCRIP | PTION | PART NO. | SIZE & DESCRIP | TION | PART NO. | SIZE & DESCRIP | TION |
|-------------|-------------------|-------------|-------------|-------------------|-------------|-------------|-------------------|--------------------|
| 15X | 3" Ext | | 1234 | 1-1/16" | 12 Pt. Skt. | 1250 | 1-9/16" | 12 Pt. Skt. |
| 16X | 8" Ext | | 1236 | 1-1/8" | 12 Pt. Skt. | 1252 | 1-5/8" | 12 Pt. Skt. |
| 20X | 16" Ext | | 1238 | 1-3/16" | 12 Pt. Skt. | 1254 | 1-11/16" | 12 Pt. Skt. |
| 19 | Sliding 7 | | 1240 | 1-1/4" | 12 Pt. Skt. | 1256 | 1-3/4" | 12 Pt. Skt. |
| 79C | | ole Ratchet | 1242 | 1-5/16" | 12 Pt. Skt. | 1258 | 1-13/16" | 12 Pt. Skt. |
| 1228 | 7/8" | 12 Pt. Skt. | 1244 | 1-3/8" | 12 Pt. Skt. | 1260 | 1-7/8" | 12 Pt. Skt. |
| 1230 | 15/16" | 12 Pt. Skt. | 1246 | 1-7/16" | 12 Pt. Skt. | 1264 | 2" | 12 Pt. Skt. |
| 1232 | 1" | 12 Pt. Skt. | 1248 | 1-1/2" | 12 Pt. Skt. | | | County Co. Section |

Black enamel metal box 20-1/4" x 9-1/4" x 9-1/4"

STD. PKG. 1 WEIGHT 53.50 LBS.

SET NO. 4019 1/4" — 3/8" DRIVE 19 PIECE COMBINATION SET

Ideal 19 piece 1/4" and 3/8" drive combination socket set — will serve most general purpose requirements through 3/4".

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------------|-------------|---------------------------|
| 1/4" D | RIVE | 90 | 3/8" F-1/4" M Adaptor |
| 80M | Spinner Handle | 77JC | Rev. Ratchet |
| 6M | 3/16" 6 Pt. Skt. | 312X | 3/8 6 Pt. Skt. |
| 7M | 7/32" 6 Pt. Skt. | 314X | 7/16" 6 Pt Skt. |
| 8M | 1/4" 6 Pt. Skt. | 316 | 1/2" 12 Pt. Skt. |
| 9M | 9/32" 6 Pt. Skt. | 318 | 9/16" 12 Pt. Skt. |
| 10M | 5/16" 6 Pt. Skt. | 320 | 5/8" 12 Pt. Skt. |
| 11M | 11/32" 6 Pt. Skt. | 322 | 11/16" 12 Pt. Skt. |
| 3/8" DF | RIVE | 324 | 3/4" 12 Pt. Skt. |
| 53J | 5" Ext | 626JR | 13/16" 6 Pt. Spkplg. Skt. |

Black enamel metal box 9-1/2" x 4" x 1-1/2" STD, PKG, 1 WEIGHT 3.50 LBS,



SET NO. 13719

1/4" — 3/8" DRIVE 19 PIECE COMBINATION SET

A popular 1/4" and 3/8" drive combination socket set featuring the blow molded handled tool box.

| PART NO. | SIZE & DESCR | PTION | PART NO. | SIZE & DESCRIPTION |
|-------------|-----------------|------------------|-------------|-------------------------|
| 1/4" D | RIVE | | 312X | 3/8" 6 Pt. Skt. |
| 6M | 3/16" | 6 Pt. Skt. | 314X | 7/16" 6 Pt. Skt. |
| 7M | 7/32" | 6 Pt. Skt. | 316 | 1/2" 12 Pt. Skt. |
| 8M | 1/4" | 6 Pt. Skt. | 318 | 9/16" 12 Pt. Skt. |
| 9M | 9/32" | 6 Pt. Skt. | 320 | 5/8" 12 Pt. Skt. |
| 10M | 5/16" | 6 Pt. Skt. | 322 | 11/16" 12 Pt. Skt. |
| 11M | 11/32" | 6 Pt. Skt. | 324 | 3/4" 12 Pt. Skt. |
| 80M | Spinner | Handle | 620JR | 5/8" 6 Pt. Spkplg. Skt. |
| 3/8" D | RIVE | | 77JC | Rev. Ratchet |
| 90 | 3/8" F | - 1/4" M Adaptor | | 2-5/8" Ext |

Black blow molded box 12" x 5" x 1-3/4" STD. PKG. 1 WEIGHT 2.29 LBS.



SET NO. M4019 19 PC. 1/4"-3/8"DRIVE METRIC COMBINATION SOCKET SET

| PART | SIZE & | PART | SIZE & |
|---|--|--|---|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 1/4" DF 80M 20204 20205 20206 20207 20208 20209 3/8" DF 77JC | Spinner Handle 4MM 6 Pt. Skt. 5MM 6 pt. Skt. 6MM 6 Pt. Skt. 7MM 6 Pt. Skt. 8MM 6 Pt. Skt. 9MM 6 Pt. Skt. | 53J 90 10MM 11MM 12MM 13MM 14MM 17MM 19MM 626JR | 5" Ext. 3/8" F-1/4" M Adapter 10MM 6 Pt. Skt. 11MM 6 Pt. Skt. 12MM 6 Pt. Skt. 13MM 6 Pt. Skt. 14MM 6 Pt. Skt. 17MM 6 Pt. Skt. 19MM 6 Pt. Skt. 19MM 6 Pt. Skt. |

Black enamel box 9-1/4" x 4" x 1-3/4" STD. PKG. 1 WEIGHT 2.30 LBS.

METRIC





SET NO. 7651

54-Piece mechanics tool set consisting of 1/4", 3/8", 1/2" Drive combination socket sets and many other tools to fit your special needs.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|-------------|---|-------------|--|
| 1/// DI | RIVE SOCKETS & ATTACHMENTS | 626JR | 3/8" Dr. 13/16" 6 Pt. Spkplg. Skt. |
| | 1/4" Dr. Closed Head Ratchet | 57J | 3/8" Dr. 10" Ext |
| | | 316 to 3 | 24 12 Pt. Sockets 1/2" to 3/4", 5 pcs. |
| 53M | 1/4" Dr. 6" Ext | | 3/8" Dr. 7-1/2" Closed Head Ratchet |
| 80M | 1/4" Dr. Spinner Handle | 53J | 3/8" Dr. 5" Ext |
| 6M to | 14M 6 Pt. Sockets 3/16" to 7/16", 7 pcs. | | 3/8" Dr. Spin Disc. |
| | o 12MS 8 Pt. Sockets 1/4" to 3/8", 3 pcs. | | IVE SOCKETS & ATTACHMENTS |
| 3/8" DI | RIVE SOCKETS & ATTACHMENTS | | |
| 90 | 3/8" Dr. F to 1/4" M Adaptor | 77C | 1/2" Dr. 10" Closed Head Ratchet |
| 51J | 3/8" Dr. 2-5/8" Ext | | 1/2" Dr. 18" Flex Handle |
| | 3/8" Dr. 7-1/2" Flex Handle | 514 to 5 | 40 12 Pt. Sockets 7/16" to 1-1/4" |
| 12 ICB | 3/8" Dr. Flex Handle Crossbar | 33 | 1/2" Dr. Universal Joint |
| | 3/8" Dr. 16" Speeder Handle | 57 | 1/2" Dr. 10" Ext |
| 616 L to | 624J 12 Pt. Deep Sockets 1/2" to 3/4", 5 pcs. | 4800-3 | 1/2" Dr. Spin Disc |

Metal tool box with tote tray 19" x 6-3/4" x 7" STD. PKG. 1 WEIGHT 19.50 LBS.



SET NO. 4053 1/4"-3/8"-1/2" DRIVE 53 PC. COMBINATION SET

This all-purpose combination set includes 1/4", 3/8" and 1/2" drive. This set provides the basics in each drive size and is packed in a large, heavy gauge chest with front drop flap and removable tote tray.

The fifty-three pieces have been carefully selected to handle a majority of nut turning jobs in automotive, aviation, refrigeration and farm

implement fields.

| PART NO. | SIZE & DESCRIPTION | PART SIZE & NO. DESCRIPTION | |
|-------------|--|---|----|
| 1/4" D | RIVE SOCKETS & ATTACHMENTS | 62J 16" Speeder | |
| 80M | Spinner Handle | 77JC Rev. Ratchet | |
| 50M | 2" Ext | 312X to 314X 6 Pt. Sockets 3/8" to 7/16", 2 po | 28 |
| 53M | 6" Ext | 318 to 324 12 Pt. Sockets 9/16" to 3/4", 4 pcs | |
| 77MC | Rev. Ratchet | 1/2" DRIVE SOCKETS & ATTACHMENTS | |
| 6M to | 14M 6 Pt. Sockets 3/16" to 7/16", 8 pcs. | 16 Flex Handle | |
| 8MS to | 12MS 8 Pt. Sockets 1/4" to 3/8", 3 pcs. | 33 Universal Joint | |
| | RIVE SOCKETS & ATTACHMENTS | 42 Sliding T | |
| 12J | Flex Handle | 53 5" Ext | |
| 33J | Universal Joint | 47 10" Ext | |
| 51J | 2-5/8" Extension | 62 18" Speeder | |
| 53J | 5" Ext | 77C Rev. Ratchet | |
| 57J | 10" Ext | 514 to 536 12 Pt. Sockets 7/16" to 1-1/8", 14 p | ns |

Metal tool box with tote tray 20" x 9" x 9-1/4" STD. PKG. 1 WEIGHT 28.07 LBS.



SET NO. 4058 1/4"-3/8"-1/2"-3/4" DRIVE 58 PC. COMBINATION SET

A 58-piece combination set for the heavy duty mechanic. Contains 1/4", 3/8" and 1/2" drive socket ranges plus 3/4" drive for heavy duty tractor, diesel, truck or machinery maintenance work. Sockets range from 1/4" through 1-5/8" to handle most nut turning requirements. Set comes complete in hip roof box with removable tote tray. Every tool will find practical use in everyday service operations.

| PART SIZE & NO. DESCRIPTION | PART SIZE & NO. DESCRIPTION | |
|---|---|--|
| 1/4" DRIVE SOCKETS & ATTACHMENTS 80M Spinner Handle 8M to 14M 6 Pt. Sockets 1/4" to 7/16", 6 pcs. 8MS to 12MS 8 Pt. Sockets 1/4" to 3/8", 3 pcs. 3809 Metal Box 3/8" DRIVE SOCKETS & ATTACHMENTS 12J Flexhandle 33J Universal Joint 53J 5" Ext. 57J 10" Ext 62J 16" Speeder 77JC Rev. Ratchet 312X to 314X 6 Pt. Sockets 3/8" to 7/16", 2 pcs. 316 to 324 12 Pt. Sockets 1/2" to 3/4", 5 pcs. 626JR 13/16" Sparkplug Socket | 1/2" DRIVE SOCKETS & ATTACHMENTS 16 Flexhandle, 18" 33 Universal Joint 42 Sliding T 53 5" Ext 57 10" Ext 62 18" Speeder 77C Rev. Ratchet 514 to 536 12 Pt. Sockets 7/16" to 1-1/8", 15 pcs. 95 1/2" x 3/4" M Adaptor 3/4" DRIVE SOCKETS & ATTACHMENTS 18 Flexhandle 20X 16" Ext 1234 to 1252 12 Pt. Sockets 1-1/16" to 1-5/8", 7 pcs. | |

Metal tool box with tote tray 20" x 9" x 9-1/4" STD. PKG. 1 WEIGHT 40.01 LBS. One set per package



SET NO. 4089 1/4"-3/8"-1/2" DRIVE 89 PC. COMBINATION SET

Eighty-nine major pieces consisting of carefully selected 1/4", 3/8" and 1/2" drive sockets and attachments, plus seven combination wrenches. Thorsen's most popular combination set over the years, this well-balanced selection of socket and combination wrenches covers all popular sizes with regular, deep and universal sockets. Perfect for professional automotive mechanics, marine service, and general service and repair operations. This functional unit comes packed in a large two-drawer steel chest with removable tote tray and ample room for other mechanic's tools.

| PART SIZE & NO. DESCRIPTION | PART SIZE & NO. DESCRIPTION |
|--------------------------------------|--|
| 1/4" DRIVE SOCKETS & ATTACHMENTS 80M | 416J to 424J 12 Pt. Universal Sockets 1/2" to 3/4", 5 pcs 3808 Metal Box 612JX to 614JX 6 Pt. Deep Sockets 3/8" to 7/16", 2 pcs. 616J to 626J 12 Pt. Deep Sockets 1/2" to 13/16", 6 pcs. 3809 Metal Box 1/2" DRIVE SOCKETS & ATTACHMENTS 16 Flexhandle 33 Universal Joint 42 Sliding T 51 2-1/2" Ext 53 5" Ext 57 10" Ext 62 18" Speeder 77C Reversible Ratchet 512 to 536 12 Pt. Sockets 3/8" to 1-1/8", 16 pcs. 616 to 632 12 Pt. Deep Sockets 1/2" to 1", 9 pcs. 1214 Metal Box COMBINATION WRENCHES 2012 to 2024 Combination Wrenches 3/8" to 3/4", 7 pcs. |



SET NO. 40106 106 MAJOR PIECE MASTER COMBINATION SET 1/4"-3/8"-1/2" DRIVE PLUS WRENCHES - SCREWDRIVERS - PLIERS

Thorsen's largest and most complete combination set, it is specifically designed for the professional. Completeness in 1/4", 3/8" and 1/2" drive, plus a 10 piece combination wrench set, 9 piece screwdriver set, adjustable wrench, pliers and diagonals make this an excellent choice for all mechanics. It's a repair shop in itself, and comes in Thorsen's new double drawer chest with built-in lock with key — no padlock required.

| PART | SIZE & | PART | SIZE & DESCRIPTION |
|---|--|--|---|
| NO. | DESCRIPTION | NO. | |
| 1/4" DI 77MC 30M 50M 50M 56M to 8MS to 3809 377JC 12J 51J 57J 62J 312X to 316 to 612JX 3809 412JX 412JX | RIVE SOCKETS & ATTACHMENTS Rev. Ratchet Spinner Handle 2" Ext. 6 14M 6 Pt. Sockets 3/16" to 7/16", 8 pcs. to 12MS 8 Pt. Sockets 1/4" to 3/8", 3 pcs. Metal Box ORIVE SOCKETS & ATTACHMENTS Rev. Ratchet Flexhandle 2-5/8" Ext. 10" Ext. Univ. Joint 6" Speeder to 314X 6 Pt. Sockets 3/8" to 7/16", 2 pcs. 326 12 Pt. Sockets 1/2" to 3/4", 5 pcs. to 614JX 6 Pt. Deep Sockets 3/8" to 7/16", 2 pcs. Metal Box to 414JX 6 Pt. Universal Sockets 3/8" to 7/16", 2 pcs. to 424JX 12 Pt. Universal Sockets 1/2" to 3/4", 5 pcs. | 616 to 63 1214 COMBIN 2012 to PC-10 SERVICI 013P 024P 042 044 064 081 085 106 PO-10 SJ-8AL AW-10Al | 2-1/2" Ext. 5" Ext. 10" Ext. 18" Speeder Rev. Ratchet 36 12 Pt. Sockets 3/8" to 1-1/8", 16 pcs. 32 12 Pt. Deep Sockets 1/2" to 1", 9 pcs. Metal Box ATION WRENCHES 20 30 Combination Wrenches 3/8" to 15/16", 10 pcs. Vinyl Pouch E TOOLS No. 1 Phillips Screwdriver Stubby Phillips Screwdriver No. 2 Phillips Screwdriver No. 2 Phillips Screwdriver 4" Pocket Screwdriver 4" Pocket Screwdriver 4" Cabinet Screwdriver 4" Stubby Screwdriver 1" Stubby Screwdriver 5" Screwdriver 6" Screwdriver 6" Screwdriver 6" Screwdriver Vinyl Pouch |

Metal tool box with tote tray 25-3/4" x 14-1/4" x 12-1/2" STD. PKG. 1 WEIGHT 59 LBS.





SET NO. 7652 75 PC. 1/4" - 3/8" - 1/2" DRIVE UTILITY SET WITH ACCESSORIES

An all-purpose combination set includes 1/4", 3/8" and 1/2" drive. This set offers a wide range of sockets and attachments. This set also features a selection of combination wrenches and screwdrivers.

| PART NO. | SIZE & DESCRIPTION | PART NO: | SIZE & DESCRIPT | ION |
|---|--|---|---|--|
| 1/4" E 6M to 8MS 80M 3/8" E 90 312X t 316X t 620JR 77JC 51J | DRIVE SOCKETS & ATTACHMENTS of 11M 6 Pt. Sockets 3/16" to 11/32", 6 pcs. to 10MS 8 Pt. Sockets 1/4" to 5/16", 2 pcs. 1/4" Dr. Spinner Handle DRIVE SOCKETS & ATTACHMENTS | 620JR 77JC 51J 524 to 5 53 77C COMBIN 2014 to 174 IGN 3718 | 3/8" 3/8" 3/8" 32 12 Pt. S 1/2" 1/2" IATION WR 2018 Comb | Dr. 5/8" 6 Pt. Sparkplug Socket Dr. 7/12" Closed Head Ratchet Dr. 2-5/8" Extension Sockets 3/4" to 1", 5 pcs. Dr. 5" Ext Dr. 10" Closed Head Ratchet |
| 524 to 7M to 8MS to 80M 90 312X | 526 12 Pt. Sockets 3/4" to 13/16", 2 pcs. | 064 085 HS14A 4800-1 4800-2 4800-3 | 3/16" x 4 | 4" Cabinet Screwdriver 5" Plain Blade Screwdriver Hacksaw Frame with 13 blades Dr. Spin Disc Dr. Spin Disc Dr. Spin Disc |

Metal tool box with tote tray 20" x 6-3/4" x 7" STD. PKG. 1 WEIGHT 13.65 LBS.



SET NO. 7650 119 PC. 1/4" - 3/8" - 1/2" DRIVE MASTER TOOL SET

119 major pieces consisting of carefully selected 1/4", 3/8", and 1/2" drive sockets and attachments. Perfect for professional automotive mechanic's, maintenance service, and general repair operations.

| PART NO. | SIZE & DESCRIPTI | ON | PART NO. | SIZE & DESCRIPTION |
|---|--|--|-------------|--|
| 1/4" DRI 6M to 14 14M 8MS 10MS 80M 3/8" DR 312X to 316 to 3 612JX to 90 620JR 77JC 4800-2 1/2" DR | VE SOCKE M 6 Pt. Soc 7/16" 1/4" 5/16" IVE SOCKE 314X 6 Pt. 24X 12 Pt. 624J 12Pt. 1/4" 5/8" 7-1/2" 3/8" IVE SOCKE | ETS & ATTACHMENTS ckets 3/16" to 7/16", 7 pcs. 6 Pt. Socket 8 Pt. Socket 8 Pt. Socket Spinner Handle ETS & ATTACHMENTS Sockets 3/8" to 7/16", 2 pcs. Sockets 1/2" to 3/4", 5 pcs. Pt. Deep Sockets 1/2" to 3/4", 5 pcs. Deep Sockets 1/2" to 3/4", 5 pcs. M Adapter 6 Pt. Sparkplug Socket Closed Head Ratchet Drive Spin Disc ETS & ATTACHMENTS Sockets 1/2" to 1", 9 pcs. 6 Pt. Sparkplug Socket Ext Closed Head Ratchet Drive Spin Disc | 2012 to | ATION WRENCHES 2024 Combination Wrench 3/8" to 3/4", 6 pcs. E TOOLS 6" Slip Joint Plier (Thorsen Allied) 18 piece Hex Key Set 5" Center Punch 5" Prick Punch 1/8" Pin Punch 7/16" Cold Chisel 5/8" Cold Chisel 1/8" x 4" Pocket Screwdriver 3/16" x 4" Cabinet Screwdriver 3/16" x 4" E Phillips Screwdriver 1/4" x 4" Plain Blade Screwdriver 1/4" x 4" Plain Blade Screwdriver 1/4" x 6" Plain Blade Screwdriver 19 Piece Ignition Wrench Set Hacksaw Frame with 13 Blades 9 Piece Ignition Wrench Set |

Metal tool box with tote tray 19" x 5-3/4" x 6-3/4" STD. PKG. 1 WEIGHT 19.43 LBS.



SET NO. 7653 150 PC. 1/4" - 3/8" - 1/2" DRIVE MASTER SET

Thorsen's largest master mechanic's tool set. Complete in 1/4", 3/8", and 1/2" drive, plus metric sockets and metric combination wrenches. This set also features screwdrivers, punches and chisels, pliers, hacksaw and blades and many other excellent items. It's a repair shop in itself with the professional mechanic in mind. Furnished without tool box.

| PART NO. | SIZE & DESCRIPTI | ON | PART NO. | SIZE & DESCRIP | TION |
|-------------|---------------------|--|--------------|-------------------|---|
| 1/4" DE | RIVE SOCKE | TS & ATTACHMENTS | 51 | 2-1/2" | Extension |
| | | ckets 3/16" to 7/16", 8 pcs. | 53 | 5" | Extension |
| | | Sockets 1/4" to 3/8", 3 pcs. | 77C | 10" | Closed Head Ratchet |
| | | etric Sockets 4MM to 11MM, 8 pcs. | 4800-3 | 10 | Spin Disc |
| 53M | 6" | Extension | | IATION W | RENCHES |
| 80M | | Spinner Handle | | | bination Wrenches 3/8" to 15/16", 10 pcs. |
| | RIVE SOCKE | TS & ATTACHMENTS | | | ATION WRENCHES |
| | | Sockets 3/8" to 7/16", 2 pcs. | | | Combination Wrenches 8MM to 19MM, 8 pcs. |
| 316 to | 324 12 Dt S | ockets 1/2" to 3/4", 5 pcs. | 1000 10 | iora Metric | Combination whenches own to Talvivi, 6 pcs. |
| | | Pt. Sockets 3/8" to 7/16", 2 pcs. | SERVIC | E TOOLS | |
| | | Sockets 1/2" to 5/8", 3 pcs. | HS14A | L TOOLS | Hacksaw Frame with 13 blades |
| | | Pt. Sparkplug Sockets 5/8" to 13/16", 2 pcs. | 013P | 2/16" | x 3" #1 Phillips Screwdriver |
| ZMM to | 10MM 6 Dt | Metric Sockets 7MM to 19MM, 11 pcs. | 064 | | x 4" Cabinet Screwdriver |
| 12J | 13 MINI O Ft. | Dr. 7-1/2" Flexhandle | 085 | 1/4" | x 5" Plain Blade Screwdriver |
| 33J | | Universal Joint | 174IGN | 1/4 | 8 Piece Ignition Wrench Set |
| 53J | 5" | Extension | CP | 5" | Center Punch |
| 57J | 10" | Extension | PP | 5" | Prick Punch |
| 62J | 16-1/2" | Speeder Handle | 2C | 7/16" | Cold Chisel |
| 77JC | 7-1/2" | Closed Head Ratchet | BP12AL | | 12 oz. Ball Pein Hammer (Thorsen Allied) |
| 4800-2 | 1-1/2 | | SJ6AL | 6" | |
| 7 | WE COOKE | Spin Disc | | 8" | Slip Joint Plier (Thorsen Allied) |
| | | TS & ATTACHMENTS | AW8AL LN6 | 6" | Adjustable Wrench (Thorsen Allied) |
| | | ockets 7/16" to 1-1/8", 12 pcs. | | 0 | Long Nose Plier |
| | | pep Sockets 11/16" to 15/16", 5 pcs. | HK7M | | 7 Piece Metric Hex Key Set |
| 16 | 18" | Flexhandle | 3718 | 4/07 | 18 Piece Hex Key Set |
| 33 | ol hav with t | Universal Joint | 004 | 1/8" | x 4" Pocket Screwdriver |

Metal tool box with tote tray STD. PKG. 1 WEIGHT 19.43 LBS.



COMBINATION WRENCHES

| PART NO. | SIZE | | STD. LENGTH | WEIGHT PKG. | EA. |
|-------------|-----------|---------------|----------------|----------------|----------|
| 2008 | 1/4". | 6 Pt. Wrench | 3-5/8" | 6 | .06 lbs. |
| 2010 | 5/16", | 6 Pt. Wrench | 4-1/8" | 6 | .09 lbs. |
| 2012 | 3/8". | 12 Pt. Wrench | 4-3/4" | 6 | .13 lbs. |
| 2014 | 7/16". | 12 Pt. Wrench | 5-1/2" | 6 | .13 lbs. |
| 2016 | 1/2". | 12 Pt. Wrench | 6" | 6 | .13 lbs. |
| 2018 | 9/16", | 12 Pt. Wrench | 7" | 6 | .25 lbs. |
| 2020 | 5/8". | 12 Pt. Wrench | 7-5/8" | 6 | .31 lbs. |
| 2022 | 11/16", | 12 Pt. Wrench | 8-1/2" | 6 6 6 | .38 lbs. |
| 2024 | 3/4". | 12 Pt. Wrench | 9-3/8" | 6 | .44 lbs. |
| 2026 | 13/16". | 12 Pt. Wrench | 10-1/2" | 6 | .56 lbs. |
| 2028 | 7/8". | 12 Pt. Wrench | 11-1/4" | 6 | .68 lbs. |
| 2030 | 15/16". | 12 Pt. Wrench | 12-1/8" | 6 | .78 lbs. |
| 2032 | 1.0 | 12 Pt. Wrench | 13-1/8" | 6 | .90 lbs |
| 2034 | 1-1/16". | 12 Pt. Wrench | 14-1/8" | 6 | 1.10 lbs |
| 2036 | 1-1/8", | 12 Pt. Wrench | 14-11/16" | 3 | 1.40 lbs |
| 2040 | 1-1/4". | 12 Pt. Wrench | 16-1/8" | 3 | 1.50 lbs |
| 2042 | 1-5/16", | 12 Pt. Wrench | 16-7/8" | 1 | 1.50 lbs |
| 2044 | 1-3/8" | 12 Pt. Wrench | 19-1/8" | 1 | 2.40 lbs |
| 2048 | 1-1/2". | 12 Pt. Wrench | 21-7/8" | 1 | 2.40 lbs |
| 2052 | 1-5/8", | 12 Pt. Wrench | 21-7/8" | 1 | 2.40 lbs |
| 2054 | 1-11/16". | | 23" | 1 | 2.40 lbs |
| 2056 | 1-3/4", | 12Pt. Wrench | 25" | 1 | 2.60 lbs |
| 2058 | 1-13/16" | | 25" | 1 | 2.60 lbs |
| 2060 | 1-7/8", | 12 Pt. Wrench | 25" | 1 | 2.60 lbs |
| 2064 | 2", | 12 Pt. Wrench | 25-1/4" | 1 | 2.90 lbs |

METRIC COMBINATION WRENCHES



METRIC METRIC COMBINATION WRENCHES

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|-----------------------|---------|--------------|---------------|
| 1007 | 7MM Comb. Wr. 6 Pt. | 3-3/4" | 6 | .05 lbs. |
| 1008 | 8MM Comb. Wr. 6 Pt. | 4" | 6 | .05 lbs. |
| 1009 | 9MM Comb. Wr. 6 Pt. | 4-1/4" | 6 | .04 lbs. |
| 1010 | 10MM Comb. Wr. 6 Pt. | 5" | 6 | .08 lbs. |
| 1011 | 11MM Comb. Wr. 6 Pt. | 5-1/2" | 6 | .12 lbs. |
| 1012 | 12MM Comb. Wr. 12 Pt. | 6" | 6 | .14 lbs. |
| 1013 | 13MM Comb. Wr. 12 Pt. | 6-1/2" | 6 | .15 lbs. |
| 1014 | 14MM Comb. Wr. 12 Pt. | 7" | 6 | .20 lbs. |
| 1015 | 15MM Comb. Wr. 12 Pt. | 7-1/2" | 6 | .23 lbs. |
| 1016 | 16MM Comb. Wr. 12 Pt. | 8" | 6 | .24 lbs. |
| 1017 | 17MM Comb. Wr. 12 Pt. | 8-1/2" | 6 | .34 lbs. |
| 1018 | 18MM Comb. Wr. 12 Pt. | 9" | 6 | .34 lbs. |
| 1019 | 19MM Comb. Wr. 12 Pt. | 9-1/2" | 6 | .43 lbs. |
| 1021 | 21MM Comb. Wr. 12 Pt. | 10" | 6 | .62 lbs. |
| 1022 | 22MM Comb. Wr. 12 Pt. | 10-1/2" | 6 | .71 lbs. |
| 1024 | 24MM Comb. Wr. 12 Pt. | 11" | 6 | .93 lbs. |

COMBINATION WRENCH SETS



SET NO. BOE-6 6 PC. COMBINATION WRENCH SET IN VINYL ROLL

| PART NO. | SIZE & DESCRIPTION | PART SIZE & NO. DESCRIPTION |
|-------------|--------------------|-----------------------------|
| 2014 | 7/16" Wrench | 2020 5/8" Wrench |
| 2016 | 1/2" Wrench | 2022 11/16" Wrench |
| 2018 | 9/16" Wrench | 2024 3/4" Wrench |

Black vinyl roll STD. PKG. 1 WEIGHT: 2.06 LBS.

THORSEN TOOL COMBINATION WRENCH SETS

SET NO. BOE-11 11 PC. COMBINATION WRENCH SET IN VINYL ROLL

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|-------------|-----------------------|-------------|--------------------|--|
| 2012 | 3/8" Wrench | 2024 | 3/4" Wrench | |
| 2014 | 7/16" Wrench | 2026 | 13/16" Wrench | |
| 2016 | 1/2" Wrench | 2028 | 7/8" Wrench | |
| 2018 | 9/16" Wrench | 2030 | 15/16" Wrench | |
| 2020 | 5/8" Wrench | 2032 | 1" Wrench | |
| 2022 | 11/16" Wrench | | | |

Black vinyl roll STD. PKG. 1 WEIGHT: 5.45 LBS.



SET NO. BOE-14 14 PC. COMBINATION WRENCH SET IN VINYL ROLL

| PART | SIZE & | PART | SIZE & |
|--|---|--------------------------------------|--|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 2012 2014 2016 2018 2020 2022 | 3/8" Wrench 7/16" Wrench 1/2" Wrench 9/16" Wrench 5/8" Wrench | 2026 2028 2030 2032 2034 | 13/16" Wrench 7/8" Wrench 15/16" Wrench 1" Wrench 1-1/16" Wrench |
| 2024 | 11/16" Wrench | 2036 | 1-1/8" Wrench |
| | 3/4" Wrench | 2040 | 1-1/4" Wrench |

Black vinyl roll STD. PKG. 1 WEIGHT: 10.06 LBS.



SET NO. BOE-14MM 14 PC. METRIC COMBINATION WRENCH SET IN VINYL ROLL

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|-------------|-----------------------|-------------|-----------------------|--|
| 1008 | 8MM Wrench | 1015 | 15MM Wrench | |
| 1009 | 9MM Wrench | 1016 | 16MM Wrench | |
| 1010 | 10MM Wrench | 1017 | 17MM Wrench | |
| 1011 | 11MM Wrench | 1018 | 18MM Wrench | |
| 1012 | 12MM Wrench | 1019 | 19MM Wrench | |
| 1013 | 13MM Wrench | 1021 | 21MM Wrench | |
| 1014 | 14MM Wrench | 1022 | 22MM Wrench | |

Black vinyl roll STD. PKG. 1 WEIGHT: 10.08 LBS.

METRIC



SET NO. PC-4 4 PC. COMBINATION WRENCH SET IN VINYL POUCH

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------|--------------------|------|--------------|
| NO. | | NO. | DESCRIPTION |
| 2012 | 3/8" Wrench | 2016 | 1/2" Wrench |
| 2014 | 7/16" Wrench | 2018 | 9/16" Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 2.32 LBS.

SET NO. PC-6 6 PC. COMBINATION WRENCH SET IN VINYL POUCH

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------|--------------------|------|--------------|
| NO. | | NO. | DESCRIPTION |
| 2012 | 3/8" Wrench | 2018 | 9/16" Wrench |
| 2014 | 7/16" Wrench | 2020 | 5/8" Wrench |
| 2016 | 1/2" Wrench | 2024 | 3/4" Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 4.51 LBS.



COMBINATION WRENCH SETS THORSEN TOOL



SET NO. PC9 9 PC. COMBINATION WRENCH SET

| PART | SIZE & | PART | SIZE & |
|--------------------------------------|--|------------------------------|---|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 2008 2010 2012 2014 2016 | 1/4" 6 Pt. Wrench 5/16" 6 Pt. Wrench 3/8" 12 Pt. Wrench 7/16" 12 Pt. Wrench 1/2" 12 Pt. Wrench | 2018 2020 2022 2024 | 9/16" 12 Pt. Wrench 5/8" 12 Pt. Wrench 11/16" 12 Pt. Wrench 3/4" 12 Pt. Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 12.00 LBS.



SET NO. PC-10 10 PC. COMBINATION WRENCH SET IN VINYL POUCH

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|-------------|-----------------------|-------------|--------------------|--|
| 2012 | 3/8" Wrench | 2022 | 11/16" Wrench | |
| 2014 | 7/16" Wrench | 2024 | 3/4" Wrench | |
| 2016 | 1/2" Wrench | 2026 | 13/16" Wrench | |
| 2018 | 9/16" Wrench | 2028 | 7/8" Wrench | |
| 2020 | 5/8" Wrench | 2030 | 15/16" Wrench | |

Black vinyl pouch STD. PKG. 3 WEIGHT: 12.13 LBS.



METRIC

SET NO. MC6 6 PC. METRIC COMBINATION WRENCH SET

| PAI | | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|-------------------|----|---|----------------------|---|--|
| 101 101 101 | 12 | 10MM Wrench 12MM Wrench 13MM Wrench | 1014 1017 1019 | 14MM Wrench 17MM Wrench 19MM Wrench | |

Black vinyl pouch STD. PKG. 3 WEIGHT: 4.75 LBS.



METRIC

SET NO. MC-8 8 PC. METRIC COMBINATION WRENCH SET

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION |
|----------------------|---|------------------------------|--|
| 1007 1008 1009 | 7MM Wrench 8MM Wrench 9MM Wrench 10MM Wrench | 1011 1012 1013 1014 | 11MM Wrench 12MM Wrench 13MM Wrench 14MM Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 5.24 LBS.



METRIC

SET NO. MC9 9 PC. METRIC COMBINATION WRENCH SET

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|--------------------------------------|--|------------------------------|--|
| NO. | | NO. | DESCRIPTION |
| 1007 1008 1009 1010 1011 | 7MM Wrench 8MM Wrench 9MM Wrench 10MM Wrench 11MM Wrench | 1012 1013 1014 1015 | 12MM Wrench 13MM Wrench 14MM Wrench 15MM Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 5.40 LBS.

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|--------------|----------------------------|--------------|----------------------------|--|
| 1008 1009 | 8MM Wrench 9MM Wrench | 1014 1015 | 14MM Wrench 15MM Wrench | |
| 1010 | 10MM Wrench 11MM Wrench | 1016 | 16MM Wrench | |
| 1012 | 12MM Wrench | 1017 1018 | 17MM Wrench 18MM Wrench | |
| 1013 | 13MM Wrench | 1019 | 19MM Wrench | |

Black vinyl pouch STD. PKG. 3 WEIGHT: 6.13 LBS.



OPEN-END WRENCHES

OPEN END WRENCHES

| PART NO. | SIZE DESC | & RIPTION | | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|--------------|--------------|--------|---------|--------------|---------------|
| 3008 | 1/4" | x 5/16" | Wrench | 3-3/4" | 6 | .06 lbs. |
| 3012 | 3/8" | x 7/16" | Wrench | 5" | 6 | .00 lbs. |
| 3014 | 7/16" | x 1/2" | Wrench | 6-1/4" | 6 | .13 lbs. |
| 3016 | 1/2" | x 9/16" | | 6-3/4" | 6 | .19 lbs. |
| 3018 | 9/16" | x 5/8" | Wrench | 7-1/8" | 6 | .25 lbs. |
| 3019 | 19/32" | x 11/16 | | 7-1/2" | 6 | .23 lbs. |
| 3020 | 5/8" | x 3/4" | Wrench | 8-1/4" | 6 | .38 lbs. |
| 3024 | 3/4" | x 7/8" | Wrench | 9-3/8" | 6 | .44 lbs. |
| 3025 | 25/32" | x 13/16 | | 9-3/8" | 6 | .68 lbs. |
| 3030 | 15/16" | x 1" | Wrench | 10-5/8" | 6 | .78 lbs. |
| 3034 | 1-1/16" | x 1-1/8" | | 12" | 6 | 1.10 lbs. |



METRIC OPEN END WRENCHES

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|-----------------------|--------|--------------|---------------|
| 1108 | 8MM x 9MM Wrench | 3-3/4" | 6 | .06 lbs. |
| 1110 | 10MM x 11MM Wrench | 4-3/4" | 6 | .08 lbs. |
| 1112 | 12MM x 13MM Wrench | 5-3/4" | 6 | .16 lbs. |
| 1114 | 14MM x 15MM Wrench | 7" | 6 | .23 lbs. |
| 1116 | 16MM x 17MM Wrench | 7-1/4" | 6 | .34 lbs. |
| 1118 | 18MM x 19MM Wrench | 8" | 6 | .49 lbs. |

METRIC



OPEN-END WRENCH SETS

SET NO. OE-6 6 PC. OPEN END WRENCH SET IN VINYL ROLL

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------|------------------------|------|--------------------|
| NO. | | NO. | DESCRIPTION |
| 3012 | 3/8" x 7/16" Wrench | 3024 | 5/8" x 3/4" Wrench |
| 3016 | 1/2" x 9/16" Wrench | | 3/4" x 7/8" Wrench |
| 3019 | 19/32" x 11/16" Wrench | | 15/16" x 1" Wrench |

Black vinyl roll STD. PKG. 1 WEIGHT: 2.69 LBS.



OPEN-END WRENCH SETS



SET NO. OE-10 10 PC. OPEN END WRENCH SET IN VINYL ROLL

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------|---------------------|------|------------------------|
| NO. | | NO. | DESCRIPTION |
| 3008 | 1/4" x 5/16" Wrench | 3019 | 19/32" x 11/16" Wrench |
| 3012 | 3/8" x 7/16" Wrench | 3020 | 5/8" x 3/4" Wrench |
| 3014 | 7/16" x 1/2" Wrench | 3024 | 3/4" x 7/8" Wrench |
| 3016 | 1/2" x 9/16" Wrench | 3025 | 25/32" x 13/16" Wrench |
| 3018 | 9/16" x 5/8" Wrench | 3030 | 15/16" x 1" Wrench |

Black vinyl roll STD. PKG. 1 WEIGHT: 3.63 LBS.



SET NO. PO-6 6 PC. OPEN END WRENCH SET IN VINYL POUCH

| PART | SIZE & | PART | SIZE & |
|------|---------------------|------|------------------------|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 3008 | 1/4" x 5/16" Wrench | 3019 | 19/32" x 11/16" Wrench |
| 3012 | 3/8" x 7/16" Wrench | 3020 | 5/8" x 3/4" Wrench |
| 3016 | 1/2" x 9/16" Wrench | 3024 | 3/4" x 7/8" Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 4.64 LBS.



SET NO. PO-10 10 PC. OPEN END WRENCH SET IN VINYL POUCH

| PART NO. | SIZE | | PTION | | PART NO. | SIZE DESC | & CRIPTION | |
|--------------------------------------|--|---|---|--|--------------------------------------|--------------|-----------------------------|--|
| 3008 3012 3014 3016 3018 | 1/4" 3/8" 7/16" 1/2" 9/16" | X | 5/16" 7/16" 1/2" 9/16" 5/8" | Wrench Wrench Wrench Wrench Wrench | 3019 3020 3024 3025 3030 | 5/8" | x 3/4" x 7/8" x 13/16 | |

Black vinyl pouch STD. PKG. 3 WEIGHT: 3.18 LBS.




METRIC

SET NO. MO-6 6 PC. METRIC OPEN-END WRENCH SET

| PART | SIZE & | PART | SIZE & DESCRIPTION |
|--------------|--|----------------------|--|
| NO. | DESCRIPTION | NO. | |
| 1108 1110 | 8MM x 9MM Wrench 10MM x 11MM Wrench | 1114 1116 1118 | 14MM x 15MM Wrench 16MM x 17MM Wrench 18MM x 19MM Wrench |

Black vinyl pouch STD. PKG. 3 WEIGHT: 1.50 LBS.

SHORT BOX WRENCHES



BOX WRENCHES — 15° SHORT PATTERN

| PART NO. | SIZE | | PTION | | LENGTH | STD. PKG. | WEIGHT EA. |
|----------------------|--------------|---|-------|------------------------------|--------------------|--------------|---------------|
| 2108 | 1/4" | | | Short Wrench Short Wrench | 4-3/8" 4-15/16" | 6 | .05 lbs. |
| 2112 2116 2120 | 1/2" 5/8" | X | 9/16" | Short Wrench Short Wrench | 5-1/2" 6-1/8" | 6 | .16 lbs. |

SHORT BOX WRENCH SET

SET NO. PB-3 3 PC. SHORT BOX SET 15° PATTERN - IN VINYL POUCH

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|--------------|--|------|----------------------|
| NO. | | NO. | DESCRIPTION |
| 2112 2116 | 3/8" x 7/16" Wrench 1/2" x 9/16" Wrench | 2120 | 5/8" x 11/16" Wrench |

Black vinyl roll STD. PKG. 3 WEIGHT: 1.90 LBS.



LONG BOX WRENCHES

BOX WRENCHES — 15° LONG PATTERN

| PART NO. | SIZE & DESCR | IPTION | | LENGTH | STD. PKG. | WEIGHT EA. |
|--|---|--|---|---|--------------|--|
| 2212 2214 2216 2218 2220 2224 2226 2230 | 3/4" 13/16" 15/ 1 6" | × 7/16" × 1/2" × 9/16" × 5/8" × 11/16" × 7/8" × 7/8" × 1" | Long Wrench Long Wrench Long Wrench | 7" 8" 8-1/8" 8-7/8" 9-9/16" 11-1/8" 12" 13-7/16" | 6666666666 | .16 lbs. .22 lbs. .28 lbs. .34 lbs. .41 lbs. .75 lbs. .78 lbs. |
| 2234 | 7. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. | x 1-1/8" | Long Wrench | 14-1/4 | | |



LONG BOX WRENCH SETS

SET NO. PB-5 5 PC. LONG BOX SET 15° PATTERN - IN VINYL POUCH

| PART | SIZE & | PART | SIZE & |
|----------------------|--|--------------|--|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 2212 2216 2220 | 3/8" x 7/16" Wrench 1/2" x 9/16" Wrench 5/8" x 11/16" Wrench | 2224 2226 | 3/4" x 7/8" Wrench 13/16" x 7/8" Wrench |

Black vinyl roll STD. PKG. 3 WEIGHT: 7.86 LBS.



SET NO. BX-6 6 PC. LONG BOX SET 15° PATTERN - IN VINYL ROLL

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------|----------------------|------|----------------------|
| NO. | | NO. | DESCRIPTION |
| 2212 | 3/8" x 7/16" Wrench | | 3/4" x 7/8" Wrench |
| 2216 | 1/2" x 9/16" Wrench | | 13/16" x 7/8" Wrench |
| 2220 | 5/8" x 11/16" Wrench | | 15/16" x 1" Wrench |

Black vinyl pouch STD. PKG. 1 WEIGHT: 4.00 LBS.





SET NO. BX-8 8 PC. LONG BOX SET 15° PATTERN — IN VINYL ROLL

| PART | SIZE & DESCRIPTION | PART | SIZE & |
|------------------------------|--------------------|--|--|
| NO. | | NO. | DESCRIPTION |
| 2212 2214 2216 2218 | 1/2" x 9/16" \ | rench 2220 rench 2224 rench 2226 rench 2230 | 3/4" x 7/8" Wrench 13/16" x 7/8" Wrench |

Black vinyl roll STD. PKG. 1 WEIGHT: 4.56 LBS.

TAPPET WRENCHES



TAPPET WRENCHES

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------------------|--------|-----------|------------|
| 2314 | 7/16" x 1/2" | 9-1/2" | 6 | .13 lbs. |
| 2316 | 1/2" x 9/16" | 9-1/2" | 6 | .19 lbs. |
| 2320 | 5/8" x 11/16" | 9-1/2" | 6 | .31 lbs. |
| 2324 | 3/4" x 7/8" | 9-1/2" | 6 | .44 lbs. |

TAPPET WRENCH SETS



SET NO. PT4 4 PC. TAPPET WRENCH SET

| PART NO. | SIZE | | RIPTION | | PART NO. | SIZ | | RIPTION | |
|-------------|-------|---|---------|--------|-------------|------|---|---------|--------|
| 2314 | 7/16" | x | 1/2" | Wrench | 2320 | 5/8" | X | 11/16" | Wrench |
| 2316 | 1/2" | X | 9/16" | Wrench | 2324 | 3/4" | X | 7/8" | Wrench |

Black vinyl pouch STD. PKG. 1 WEIGHT: 1.07 LBS.



SET NO. PT 22 4 PC. TAPPET WRENCH SET

| PART NO. | SIZE & DESCRIPTION | | |
|-------------|--------------------|--------|--|
| 2316 | 9/16" x 1/2" | 2 each | |
| 2320 | 11/16" x 5/8" | 2 each | |

Black vinyl pouch STD. PKG. 1 WEIGHT: 1.08 LBS.

OBSTRUCTION WRENCHES



OBSTRUCTION WRENCHES

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------------------|--------|-----------|------------|
| 2514 | 7/16" x 1/2" | | 6 | .13 lbs. |
| 2518 | 5/8" x 9/16" | | 6 | .19 lbs. |

SCREWDRIVERS

| PART NO. | DESCRIPTION | SIZE | STD. | PKG. | WEIGHT EA. |
|----------|-----------------------|---------------|--------|------|------------|
| 013P | No. 1 Phillips | 3/16" x 3" | 6 | | .09 lbs. |
| 021P | No. 2 Stubby Phillips | 1/4" x 1-1/4" | 6 | | .09 lbs. |
| 024P | No. 2 Phillips | 1/4" x 4" | | | .19 lbs. |
| 036P | No. 3 Phillips | 5/16" x 6" | 6 6 | | .28 lbs. |
| 042 | Pocket | 1/8" x 2" | 6 | | |
| 044 | Pocket | 1/8" x 4" | | | .03 lbs. |
| 064 | Cabinet | 3/16" x 4" | 6 | | .03 lbs. |
| 066 | Cabinet | 3/16" x 6" | 66666 | | .13 lbs. |
| 081 | Regular Stubby | 1/4" x 1-1/4" | 0 | | .13 lbs. |
| 084 | Regular | 1/4" x 4" | 0 | | .09 lbs. |
| 085 | Regular | 1/4" x 5" | | | .16 lbs. |
| 106 | Regular | 5/16" x 6" | 6 | | .19 lbs. |
| 128 | Round | 3/8" x 8" | 6 | | .26 lbs. |
| 206 | Square | 5/16" x 6" | 6 | | .26 lbs. |
| 210 | Square | 3/8" x 10" | 6 | | .26 lbs. |
| 228 | Square | 3/8" x 8" | 6 | | .26 lbs. |
| 284 | Square | 1/4" x 4" | 6 | | .26 lbs. |



SCREWDRIVER SETS

SET NO. 30-ES 3 PC. ECONOMY SET

| PART | SIZE & | PART | SIZE & |
|-------------|---|------|-----------------------|
| NO. | DESCRIPTION | NO. | DESCRIPTION |
| 024P 064 | 1/4" x 4" #2 Phillips 3/16" x 4" Cabinet | 084 | 1/4" x 4" Plain Blade |

Black vinyl pouch STD. PKG. 3 WEIGHT: 1.73 LBS.



SET NO. 40-RH 4 PC. PHILLIPS SET

| PART NO. | SIZE | & CRIPTION | PART NO. | SIZE | & CRIPTION |
|--------------|-------|------------------------------------|--------------|------|--------------------------------------|
| 013P 021P | 3/16" | x 3" #1 Phillips #2 Phil. Stub. | 024P 036P | | x 4" #2 Phillips x 6" #3 Phillips |

Black vinyl pouch STD. PKG. 3 WEIGHT: 2.64 LBS.



SET NO. 50-PB 5 PC. PLAIN BLADE SET

| PART NO. | SIZE | E & CRIPTION | PART NO. | SIZE | & CRIPTION |
|-------------------|------------------------|---|-------------|---------------|--------------------------------------|
| 064 066 081 | 3/16" 3/16" 1/4" | x 4" Cabinet x 6" Cabinet x 4" Stubby | 084 106 | 1/4" 5/16" | x 4" Plain Blade x 6" Plain Blade |

Black vinyl pouch STD. PKG. 3 WEIGHT: 2.86 LBS.





SET NO. 55-HO 5 PC. GENERAL PURPOSE SET

| PART NO. | SIZE | E & CRIPTION | PART NO. | SIZE | & CRIPTION |
|--------------------|-----------------------|---|-------------|---------------|--------------------------------------|
| 024P 064 081 | 1/4" 3/16" 1/4" | x 4" #2 Phillips x 4" Cabinet x 1" Stubby | 084 106 | 1/4" 5/16" | x 4" Plain Blade x 6" Plain Blade |

Black vinyl pouch STD. PKG. 3 WEIGHT: 3.00 LBS.



SET NO. 60-ES 6 PC. ELECTRICIAN'S SET

| PART NO. | SIZE | & CRIPTION | PART NO. | SIZE | E & CRIPTION |
|-------------|-------|------------------|-------------|-------|-----------------|
| 013P | 3/16" | x 3" #1 Phillips | 064 | 3/16" | x 4" Cabinet |
| 024P | 1/4" | x 4" #2 Phillips | 066 | | x 6" Cabinet |
| 044 | 1/8" | x 4" Pckt. | 106 | | x 6" Plain |

Black vinyl pouch STD. PKG. 3 WEIGHT: 2.97 LBS.



SET NO. 90-DL 9 PC. HEAVY DUTY SET

| PART NO. | SIZE | & CRIPTION | PART NO. | SIZI | E & SCRIPTION |
|--------------|-------|------------------------------------|-------------|-------|----------------------------------|
| 013P 021P | 3/16" | x 3" #1 Phillips #2 Phil. Stub. | 064 081 | | x 4" Cab. Scrwdr. x 1" Stubby |
| 024P | 1/4" | x 4" #2 Phillips | 085 | 1/4" | x 5" Plain Blade |
| 042 044 | 1/8" | x 2" Pocket x 4" Pocket | 106 | 5/16" | x 6" Plain Blade |

Black vinyl pouch STD, PKG. 3 WEIGHT: 3.64 LBS.

PUNCHES



PUNCHES

| PART NO. | SIZE & DESCRIPTION | STD. PKG. | WEIGHT EA |
|----------|---------------------------------|-----------|-----------|
| 1P | 3/32" x 1/4" x 4-1/2" Pin Punch | 6 | .16 lbs. |
| 2P | 1/8" x 5/16" x 4-3/4" Pin Punch | 6 | .16 lbs. |
| 3P | 3/16" x 3/8" x 5-1/4" Pin Punch | 6 | .25 lbs. |
| 4P | 1/4" x 3/8" x 5-3/4" Pin Punch | 6 | .25 lbs. |
| CP | 3/8" x 5-1/2" Center Puncl | 1 6 | .13 lbs. |
| PP | 3/8" x 5-1/2" Prick Punch | 6 | .13 lbs. |
| SP | 3/16" x 5-1/2" Solid Punch | 6 | .28 lbs. |
| 1T | 1/8" x 5/16" x 7" Lining Punch | 6 | .34 lbs. |
| 2T | 3/16" x 3/8" x 9" Lining Punch | | .44 lbs. |
| 3T | 7/32" x 1/2" x 10" Lining Punch | 6 | .81 lbs. |

(

DIORSEVER

0

CHISELS

| PART NO. | SIZE & DESCRIPTION | STD. PKG. | WEIGHT EA. |
|----------|------------------------------|-----------|------------|
| 1C | 1/4" x 1/4" x 4-1/4" Cold Ch | isel 6 | .33 lbs. |
| 2C | 3/8" x 5/16" x 5" Cold Ch | isel 6 | .33 lbs. |
| 3C | 5/8" x 1/2" x 6-1/2" Cold Ch | isel 6 | .33 lbs. |
| 4C | 3/4" x 5/8" x 7" Cold Ch | isel 6 | .33 lbs. |



PUNCH & CHISEL SETS

SET NO. CC-4 4 PC. CHISEL SET

| SIZE & DESCRIPTION | | | |
|--------------------|---|--|--|
| 1/4" x 1/4" | x 4-1/4" | Cold Chisel | |
| 3/8" x 5/16" | x 5" | Cold Chisel | |
| 5/8" x 1/2" | x 6-1/2" | Cold Chisel | |
| 3/4" x 5/8" | x 7" | Cold Chisel | |
| | DESCRIPTION 1/4" x 1/4" 3/8" x 5/16" 5/8" x 1/2" | DESCRIPTION 1/4" x 1/4" x 4-1/4" 3/8" x 5/16" x 5" 5/8" x 1/2" x 6-1/2" | DESCRIPTION 1/4" x 1/4" x 4-1/4" Cold Chisel 3/8" x 5/16" x 5" Cold Chisel 5/8" x 1/2" x 6-1/2" Cold Chisel |

Black vinyl pouch STD. PKG. 3 WEIGHT: 1.32 LBS.

SET NO. CS-4 4 PC. COMBINATION PUNCH & CHISEL SET

| PART NO. | SIZE & DESCRIPTION | |
|-------------|----------------------|--------------|
| 4C | 3/4" x 5/8" x 7" | Cold Chisel |
| 4P | 1/4" x 3/8" x 5-3/4" | Pin Punch |
| CP | 3/8" x 5-1/2" | Center Punch |
| 1T | 1/8" x 5/16" x 7" | Lining Punch |

Black vinyl pouch STD. PKG. 3 WEIGHT: 1.50 LBS.

SET NO. DS-5 5 PC. DELUXE PUNCH & CHISEL SET

| PART NO. | SIZE & DESCRIPTION | |
|-------------|-----------------------|-------------|
| 1C | 1/4" x 1/4" x 4-1/4" | Cold Chisel |
| 3C | 5/8" x 1/2" x 6-1/2" | Cold Chisel |
| 2P | 1/8" x 5/16"x 4-3/4" | Pin Punch |
| PP | 3/8" x 5-1/2" | Prick Punch |
| SP | 3/16" x 5-1/2" | Solid Punch |

Black vinyl pouch STD. PKG. 3 WEIGHT: 1.13 LBS.


FPICE SCHOOL STATE OF THE STATE OF THE SCHOOL SCHOO

SET NO. HS-5 5 PC. HOMEOWNER'S PUNCH & CHISEL SET

| PART NO. | SIZE & DESCRIPTION |
|-------------|----------------------------------|
| 1C | 1/4" x 1/4" x 4-1/4" Cold Chisel |
| 2C | 3/8" x 5/16" x 5" Cold Chisel |
| 1P | 3/32" x 1/4" x 4-1/2" Pin Punch |
| CP | 3/8" x 5-1/2" Center Punch |
| SP | 3/16" x 5-1/2" Solid Punch |

Black vinyl pouch STD. PKG. 3 WEIGHT: .94 LBS.

PUNCH & CHISEL SETS



SET NO. HD-4 4 PC. HEAVY DUTY PUNCH SET

| PART NO. | SIZE & DESCRIPTION | |
|-------------|--------------------|--------------|
| CP | 3/8" x 5-1/2" | Center Punch |
| PP | 3/8" x 5-1/2" | Prick Punch |
| SP | 3/16" x 5-1/2" | Solid Punch |
| 1T | 1/8" x 5/16" x 7" | Lining Punch |

Black vinyl pouch STD. PKG. 3 WEIGHT 3.15 LBS.



SET NO. HPC-9 9 PC. PUNCH AND CHISEL HOMEOWNER'S ROLL KIT

| PART NO. | SIZE & DESCRIPTION | |
|-------------|------------------------|--------------|
| 2P | 1/8" x 5/16" x 4-3/4" | Pin Punch |
| 3P | 3/16" x 3/8" x 5-1/4" | Pin Punch |
| 1C | 1/4" x 1/4" x 4-1/4" | Cold Chisel |
| 2C | 3/8" x 5/16" x 5" | Cold Chisel |
| 3C | 5/8" x 1/2" x 6-1/2" | Cold Chisel |
| 4C | 3/4" x 5/8" x 7" | Cold Chisel |
| CP | 3/8" x 5-1/2" x 6-1/2" | Center Punch |
| PP | 3/8" x 5-1/2" | Prick Punch |
| SP | 3/16" x 5-1/2" | Solid Punch |

Black vinyl pouch STD. PKG. 3 WEIGHT: 2.10 LBS.



SET NO. PS-5 5 PC. PUNCH SET

| PART NO. | SIZE & DESCRIPTION | PART NO. | SIZE & DESCRIPTION | |
|-------------|---------------------|--------------|--------------------|--|
| 1P | 3/32" x 1/4" x 4-1/ | | | |
| 2P | 1/8" x 5/16" x 4-3/ | 4" Pin Punc | h | |
| 3P | 3/16" x 3/8" x 5-1 | /4" Pin Punc | h | |
| 4P | 1/4" x 3/8" x 5-3 | /4" Pin Punc | h | |
| PP | 3/8" x 5-1/2" | Prick Pur | nch | |

Black vinyl pouch STD, PKG, 3 WEIGHT: 1.01 LBS.

NUT DRIVERS



NUT DRIVERS (HOLLOW SHAFT)

| PART NO. | SIZE | LENGTH | STD. PKG. | WEIGHT EA. |
|----------|--------|--------|-----------|------------|
| 706 | 3/16" | 6-1/2" | 6 | .21 lbs. |
| 707 | 7/32" | 6-1/2" | 6 | .21 lbs. |
| 708 | 1/4" | 6-1/2" | 6 | .21 lbs. |
| 710 | 5/16" | 6-1/2" | 6 | .21 lbs. |
| 711 | 11/16" | 6-1/2" | 6 | .21 lbs. |
| 712 | 3/8" | 6-1/2" | 6 | .21 lbs. |
| 714 | 7/16" | 7-1/2" | 6 | .21 lbs. |
| 716 | 1/2" | 7-1/2" | 6 | .25 lbs. |

SET NO. 727 7 PC. NUT DRIVER ROLL KIT

| PART NO. | SIZE & DESCRI | PTION | PART NO. | SIZE & DESCR | IPTION |
|-------------|------------------|------------|-------------|-----------------|------------|
| 706 | 3/16" | Nut Driver | 712 | 3/8" | Nut Driver |
| 708 | 1/4" | Nut Driver | 714 | 7/16" | Nut Driver |
| 710 | 5/16" | Nut Driver | 716 | 1/2" | Nut Driver |
| 711 | 11/32" | Nut Driver | | | |

Black Vinyl Roll STD. PKG. 3 WEIGHT: 1.30 LBS.



SET NO. 737 7 PC. NUT DRIVER KIT

| PART SIZE & NO. DESCRIPTION | | PART NO. | SIZE & DESCRIPTION | |
|-----------------------------|-------------------|-------------|-----------------------|--|
| 706 | 3/16" Nut Driver | 712 | 3/8" Nut Driver | |
| 708 | 1/4" Nut Driver | 714 | 7/16" Nut Driver | |
| 710 | 5/16" Nut Driver | 716 | 1/2" Nut Driver | |
| 711 | 11/32" Nut Driver | | | |

Black Vinyl Pouch STD, PKG. 3 WEIGHT 1.30 LBS.



SLIP JOINT PLIERS

SLIP JOINT PLIERS - FULL POLISH

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|--------------------|--------|--------------|---------------|
| SJ6 | Slipjoint Plier | 6-3/4" | 6 | .30 lbs. |
| SJ8 | Slipjoint Plier | 8" | 6 | .55 lbs. |



RIB GROOVE PLIERS

RIB GROOVE PLIERS

| PART NO. | SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA. |
|-------------|--------------------|--------|--------------|---------------|
| GJ10 | Rib Groove Pliers | 10" | 6 | .78 lbs. |
| GJ12 | Rib Groove Pliers | 13" | 3 | 1.22 lbs. |







DIAGONAL CUTTING PLIERS

Narrow jaws work easily in confined areas. Useful for all general purpose electrical and electronic work. Induction hardened cutting edges.

| PART NO. | LENGTH | Α | В | C | D | WEIGHT |
|----------|--------|---------|---------|-------|--------|----------|
| DP5 | 5" | 5-1/4" | 13/16" | 3/8" | 5/8" | .22 lbs. |
| DP6 | 6" | 6" | 13/16" | 7/16" | 11/16" | .28 lbs. |
| DP7 | 7-1/2" | 7-7/16" | 1-1/16" | 1/2" | 7/8" | .53 lbs. |



LINEMAN'S PLIER WITH STRIPPING NOTCH

For utility lineman's work, wiring and electrical equipment insulation, and mainlenance. Precision matched, induction hardened edges. Built-in insulation crusher.

| PART NO. | LENGTH | A. | В | C | D | WEIGHT |
|----------|--------|--------|--------|------|--------|----------|
| LPS6 | 6" | 6-1/2" | 1-1/4" | 1/2" | 7/8" | .44 lbs. |
| LPS8 | 8" | 8-1/2" | 1-1/2" | 5/8" | 11/16" | .91 lbs. |



DIAGONAL WITH STRIPPING NOTCHES

Narrow jaws work easily in confined areas. Useful for all general purpose electrical and electronic work. Induction hardened cutting edges. Has a convenient wire stripping notch.

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|--------|--------|-------|--------|----------|
| DPS5 | 4" | 5-1/4" | 13/16" | 3/8" | 5/8" | .22 lbs. |
| DPS6 | 6" | 6" | 13/16" | 7/16" | 11/16" | .28 lbs. |



HEAVY DUTY LINEMAN'S PLIER

Heavy duty lineman's plier designed for cutting number 8 and other large wires. Precision matched cutting edges are induction hardened. Jaws have offset rivet for increased leverage and built-in insulation crusher.

| PART NO. | LENGTH | Α | В | C | D | WEIGHT |
|----------|--------|--------|--------|-------|--------|---------|
| LP9N | 9" | 9-1/2" | 1-3/4" | 9/16" | 1-1/4" | 1. lbs. |



HEAVY DUTY DIAGONAL PLIER

Powerful leverage; heavy cutting with ease. Induction hardened cutting edges.

| PART NO | D. LENGTH | Α | В | C | D | WEIGHT |
|---------|-----------|--------|--------|------|---------|----------|
| HDP7 | 7" | 7-1/8" | 13/16" | 1/2" | 1-3/16" | .56 lbs. |



CHAIN NOSE PLIERS WITH SIDE CUTTER

The long nose and strong, sharp induction-hardened cutters make an ideal combination plier for various electrical and electronic work.

| PART NO. | LENGTH | Α | В | С | D | TIP | WEIGHT |
|----------|--------|--------|----------|--------|--------|-------|----------|
| LN6 | 6" | 6-1/2" | 1-25/32" | 11/32" | 11/16" | 1/8" | .28 lbs. |
| LN7 | 7" | 7-1/2" | 2-3/4" | 3/8" | 3/4" | 5/32" | .34 lbs. |



LINEMAN'S PLIER

For utility lineman's work, wiring and electrical equipment installation, and maintenance. Precision matched, induction hardened edges. Built-in insulation crusher.

| PART NO. | LENGTH | A | В | C | D | WEIGHT |
|----------|--------|--------|--------|------|--------|----------|
| LP6 | 6" | 6-1/2" | 1-1/4" | 1/2" | 7/8" | .44 lbs. |
| LP7 | 7" | 7-1/4" | 1-1/4" | 1/2" | 1" | .67 lbs. |
| LP8 | 8" | 8-1/2" | 1-1/2" | 5/8" | 11/16" | .91 lbs. |



CHAIN NOSE PLIERS WITHOUT SIDE CUTTER

Serrated jaws and long slim nose makes loops and bends in wire. Absence of side cutter prevents cutting mistakes.

| PART NO. | LENGTH | Á | В | C | D | WEIGHT |
|----------|--------|--------|----------|--------|------|----------|
| LN6NC | 6" | 6-1/2" | 1-25/32" | 11/32" | 1/8" | .28 lbs. |
| LN7NC | 7" | 7-1/2" | 3/8" | 3/4" | 3/4" | .34 lbs. |



LONG REACH NEEDLE NOSE PLIERS

For drawing and looping wire work in close quarters and reaching back into inaccessible areas. Serrated jaws provide positive pulling or side holding grip.

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|--------|----|-------|------|----------|
| LN8 | 8" | 7-3/4" | 2" | 7/16" | 7/8" | .39 lbs. |



FLAT NOSE PLIER WITH CUTTER

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|--------|--------|------|--------|----------|
| FNC6 | 6" | 6-1/2" | 2-1/4" | 3/8" | 11/16" | .27 lbs. |



LONG REACH DUCK BILL PLIERS

Long handles provide powerful leverage. Serrated jaws for positive gripping.

| PART NO. | LENGTH | A | В | С | D | WEIGHT |
|----------|--------|--------|--------|-------|-------|----------|
| LDUS8 | 8" | 7-7/8" | 1-1/2" | 7/16" | 9/16" | .41 lbs. |



SNIPE NOSE PLIERS

Slim needle nose with serrated jaws for reaching into close quarters to pull wire and make loops. These pliers have unusual gripping ability without distortion.

| PART NO. | LENGTH | A | В | С | D | WEIGHT |
|----------|--------|--------|----|------|--------|----------|
| SN6 | 6" | 6-3/4" | 2" | 3/8" | 11/16" | .25 lbs. |



CURVED NEEDLE NOSE PLIERS

Serrated jaws and slender nose is built at an angle to reach around obstructions and to reach around low clearance areas.

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|----|--------|------|--------|--------|
| CNN6 | 6" | 6" | 1-1/8" | 3/8" | 11/16" | 25 lhe |



HEAVY DUTY END NIPPER PLIER

Rivet placement results in increased leverage for ease in cutting most wire and nails. Unique design permits cutting in areas inaccessible to side cutting pliers.

| PART NO. | LENGTH | A | В | C | D | WEIGHT |
|----------|--------|--------|------|---------|----------|--------|
| NP7 | 7" | 7-1/4" | 3/4" | 1-3/16" | 1-11/16" | 60 lbc |



FLAT NOSE PLIER

Serrated jaws at the very tip makes it extremely useful where handling of wire or plastic parts becomes a problem. This plier offers a very firm grip and the jaws are tempered so they will not distort when pressure is applied.

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|--------|--------|------|--------|----------|
| FNS6 | 6" | 6-1/2" | 2-1/4" | 3/8" | 11/16" | .27 lbs. |



MINIATURE DIAGONAL CUTTING PLIERS

Precision matched cutting edges are induction hardened. Cuts most types of small wire.

| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------------|--------|------------------|----------------|---------------|-----------------|----------|
| DP4 DP4-1/2 | 4" | 4-1/8" 4-5/8" | 15/32" 5/8" | 1/4" 5/16" | 13/32" 9/16" | .16 lbs. |

THORSEN TOOL



MINIATURE CHAIN NOSE PLIERS

Narrow tapered jaws with serrated inside surfaces. Holds, bends, loops, and pulls wire in close quarters.

| PART NO. | LENGTH | A | В | C | D | WEIGHT |
|----------|--------|--------|----|-------|-------|----------|
| LN4 | 4" | 4-3/8" | 1" | 5/16" | 7/16" | .09 lbs. |



MINIATURE FLAT NOSE PLIER

Designed to grip and bend flat stock. Small narrow jaws allow access into restricted areas.


| PART NO. | LENGTH | Α | В | С | D | WEIGHT |
|----------|--------|--------|-----|--------|-------|----------|
| ENA | 411 | 4-1/2" | 100 | 11/32" | 7/16" | .12 lbs. |



MINIATURE ROUND NOSE PLIERS

Small rounded jaws made to form accurate loops and bens in soft wire.

| PART NO. | LENGTH | A | В | С | D | WEIGHT |
|----------|--------|--------|--------|-------|-------|----------|
| BN4-1/2 | 4-1/2" | 4-1/2" | 13/16" | 9/32" | 7/16" | .12 lbs. |






MINIATURE END NIPPER

Precision matched cutting edges are induction hardened and designed to cut small wire connectors, soft bolts, and rivets that are inaccessible to side cutting pliers.

| PART NO. | LENGTH | Α | В | C | D | WEIGHT |
|----------|--------|--------|------|------|------|----------|
| NP4 | 4" | 4-1/2" | 1/2" | 3/4" | 5/8" | .16 lbs. |



TORQUE WRENCHES

TRI-TORQUE WRENCHES

| PART N | O. SIZE & DESCRIPTION | LENGTH | STD. PKG. | WEIGHT EA |
|--------|-----------------------------------|--------|-----------|-----------|
| T100 | 1/2 Dr. 100 Ft./Lbs. & 0-14 M/Kg. | 16" | 1 | 1.30 lbs. |
| T150 | 1/2 Dr. 150 Ft./Lbs. & 0-21 M/Kg. | | 1 | 1.60 lbs. |
| T600 | 3/8 Dr. 600 In /I bs & 0-700 C/Kg | 14" | 1 | 1 60 lbs |



SAE STANDARD / INCH POUNDS

| GRADE OF BOLT | SAE 1&2 | SAE 5 | SAE 6 | SAE 8 | | |
|------------------------------|------------------|-------------------|-------------------|-------------------|---------|-------------------------|
| MIN.TENSILE STRENGTH | 64,000 P.S.I. | 105,000 P.S.I. | 133,000 P.S.I. | 150,000 P.S.I. | | |
| GRADE MARKINGS ON HEAD | | 4 | 4 | * | OR W | SOCKET RENCH NING |
| U.S. STD | | | | | U.S. RE | GULAR |
| BOLT DIA. | IN | CH P | OUNI | os | BOLT | NUT |
| 1/4 | 60 | 84 | 120 | 126 | 3/8 | 7/16 |
| 5/16 | 108 | 168 | 228 | 264 | 1/2 | 9/16 |
| 3/8 | 180 | 300 | 408 | 444 | 7/16 | 5/8 |
| 7/16 | 288 | 480 | 660 | 720 | 5/8 | 3/4 |
| 1/2 | 444 | 720 | 1020 | 1104 | 3/4 | 13/16 |
| 9/16 | 636 | 1056 | 1440 | 1584 | 7/8 | 7/8 |

SAE STANDARD / FOOT POUNDS

| GRADE OF BOLT | SAE 1&2 | SAE 5 | SAE | SAE 8 | | |
|------------------------------|------------------|----------|-------------------|----------|------------------|-------|
| MIN TENSILE STRENGTH | 64,000 P.S.I. | - | 133,000 P.S.I. | - | | |
| GRADE MARKINGS ON HEAD | • | 4 | # | * | SIZE OF OR WI | RENCH |
| U.S. STD | | | | | U.S. RE | GULAR |
| BOLT DIA. | FC | OT P | NUO | DS | BOLT HEAD | NUT |
| 1/4 | 5 | 7 | 10 | 10.5 | 3/8 | 7/16 |
| 5/16 | 9 | 14 | 19 | 22 | 1/2 | 9/16 |
| 3/8 | 15 | 25 | 34 | 37 | 9/16 | 5/8 |
| 7/16 | 24 | 40 | 55 | 60 | 5/8 | 3/4 |
| 1/2 | 37 | 60 | 85 | 92 | 3/4 | 13/16 |
| 9/16 | 53 | 88 | 120 | 132 | 7/8 | 7/8 |
| 5/8 | 74 | 120 | 167 | 180 | 15/16 | 1. |
| 3/4 | 120 | 200 | 280 | 296 | 1-1/8 | 1-1/8 |

METRIC STANDARD

| | | 200 | , 0 | | | | | | |
|------------------------------|--------------------|------------------|-------------------|-------------------|-------------------|--|--|--|--|
| GRADE | OF BOLT | 5D | 8G | 10K | 12K | | | | |
| MIN. TENSILE STRENGTH | | 71,160 P.S.I. | 113,800 P.S.I. | 142,200 P.S.I. | 170,679 P.S.I. | | | | |
| GRADE MARKINGS ON HEAD | | • | 6 3 | | 2 | SIZE OF SKT OR WHENCH OPENING | | | |
| MET | RIC | | METRIC | | | | | | |
| BOLT DIA | U.S. DEC EQUIV. | F | FOOT POUNDS | | | | | | |
| 6 mm | .2362 | 5 | 6 | 8 | 10 | 10 mm | | | |
| 8 mm | .3150 | 10 | 16 | 22 | 27 | 14 mm | | | |
| 10mm | .3937 | 19 | 31 | 40 | 49 | 17 mm | | | |
| 12mm | .4720 | 34 | 54 | 70 | 86 | 19 mm | | | |
| 14mm | .,,,,,,, | | 89 | 117 | 137 | 22 mm | | | |
| 16mm | .6299 | 83 | * 3 | | 24mm | | | | |
| 18mm | .709 | 111 | 182 | 236 | 283 | 27mm | | | |
| 22mm | .8661 | 182 | 284 | 394 | 464 | 32mm | | | |

16" ALL PURPOSE HIP ROOF TOOL BOX

Popular for all-purpose use in home workshops or general repairs. This tool box is a heavy gauge all-steel, all-purpose tool box for home or farm workshops, general shop or industrial plant use. Electrically welded, it is sturdy and strong. Heavy vinyl handle for easy carrying. Continuous piano hinge, with staked-in hinge pins; heavy-duty hasp and staple for locking. Finished in gray hammertone enamel. Full length red enamel tote tray.

Height Width Length Weight No. 99316 6-3/4" 7-1/16" 16-1/16" 4-3/4 lbs.

Packaged 6 Illustrated Cartons To A Standard Pack No. 99326 Tool Box Only — No Individual Carton. Master Pack of Six.



Strong all-purpose Tool Box.

This large all-purpose tool box is designed to carry a full complement of mechanic's hand tools. Made from heavy gauge steel, with heavy-duty hasp and staple for locking. Finished in hammertone gray with full

length red enamel tote tray.

Height Width Length Weight No. 99319 6-3/4" 7-1/16" 19-1/16" 5-1/2 lbs.

Packaged 6 Illustrated Cartons To A Standard Pack No. 99329 Tool Box Only — No Individual Carton. Master Pack of Six.

20" MECHANIC'S TOOL BOX

Large rugged box has hip roof top with full length piano hinge and lift out tray. It is equipped with a sturdy hasp and staple for locking. Made of heavy gauge steel with chrome plated handle. Box is designed for large mechanic's tools, wrenches, socket sets, hammers, and hack saws. Finished in hammertone gray enamel.

Height Width Length Weight No. 99320 9-3/8" 9-1/16" 20-1/4" 14-3/4 lbs.

Packaged 4 Illustrated Cartons To A Standard Pack

21" G.I. STYLE TOOL BOX

A heavy duty tool box for mechanics, homeowners, farmers, carpenters, etc. Constructed from heavy gauge steel for rugged use. Tool box has a two-section lid which opens full, or, right or left half opens as needed. Full length piano hinges on both covers. Full length tote tray finished in hammertone red enamel.

Height Width Length Weight No. 99321 7-1/4" 8-1/2" 21" 12 lbs.

Packed 6 Illustrated Cartons To A Standard Pack





16" FLAT TOP TOOL BOX

Compact and convenient for tools, parts, and fittings. The lift-out tote tray brings the tools right to the work. Flat top for compact storage on shelves and in lockers. Made of heavy-gauge steel with full length piano hinge. Heavy-duty hasp and staple for locking. Painted in hammertone gray enamel with bright red tote trav.

> Weight Width Length Height 2-1/16" 16-1/16" 6-3/4"

Packaged (6) Illustrated Cartons to a Standard Pack No. 99366 Tool Box Only - No Individual Carton. Master Pack of Six.

19" FLAT TOP TOOL BOX

Same as 16" Flat Top Box, but larger in size to accommodate more items, including large hand tools, and accessories. Made of heavy-gauge steel with full length piano hinge. Heavy-duty hasp and staple for locking. Painted in hammertone gray enamel with bright red enamel tote tray.

Weight Width Length Height 6-3/4" 7-1/16" 19-1/16" 5 lbs. No. 99359

Packaged (6) Illustrated Cartons to a Standard Pack No. 99369 Tool Box Only — No Individual Carton. Master

UTILITY CHEST

Here's a utility box with an unlimited number of uses. It's an ideal Handyman's Tool Kit for small tools or hobby shop. Even the "small fry" can use this box for his or her fishing gear. The Utility Chest is one-piece seamless steel construction with smooth round corners in a hammertone gray enamel finish. Automatic cantilever tray swings back when top is opened. Full-grip handle with heavy-duty hasp and staple for locking.

Width Length Weight Height 2-1/2" No. 99313 13-1/2" 5-3/4" 6-3/8"

Packaged (6) Illustrated Cartons to a Standard Pack

MECHANIC'S TOOL CHEST

This tool chest has large hip roof design that opens and swings back to expose two (2) sliding drawers and a one-piece tote tray. A good all-around tool chest for mechanics and factory workers. Made from heavy gauge steel with full length piano hinge for added strength. Finished in hammertone gray enamel with tote tray and drawers finished in bright red enamel. Tool chest has two (2) heavy-duty hasps and staples for locking.

Height Width Length Weight No. 99340 9-3/8" 9" 20-1/4" 19-1/2 lbs.

Packaged (4) Illustrated Cartons to a Standard Pack

TOOL BOX WARRANTY

All Tool Boxes are warranted against defective material or workmanship. Any Tool Box showing a defect in material or workmanship will be repaired, replaced or credit given at our option. No Tool Boxes are to be returned to us without written authorization from the factory. If return is authorized, transportation charges are to be prepaid. Tool Boxes showing evidence of abuse or misuse are not covered by this Warranty.

THREAD DIAMETER OF BOLT, NUT, OR SCREW

Determine the type of bolt, nut or screw and locate the thread diameter below. Then move across to the left hand column to find the wrench size that will fit the bolt head or nut.

| NOMINAL WRENCH SIZE Also width across flats of Bolts, Screw Heads and Nuts | ВО | LTS | | B18.2.1 and B18.2.2 — | NUTS | | |
|---|---------------------|--------------------|-------------|---------------------------------|---|--|--|
| | Square Bolt | Heavy Hex | | Hex Flat | | | |
| | Hex Bolt | Bolt | | Hex Flat Jam Hex | Heavy Square | | |
| | Hex Cap Screw | Heavy Hex Screw | Square Nut | Hex Jam | Heavy Hex Flat Heavy Hex Flat Jan | | |
| | (Finished Hex Bolt) | Heavy Hex | oquare mat | Hex Slotted Hex Thick | Heavy Hex Heavy Hex Jam Heavy Hex Slotted | | |
| | Lag Screw | Structural Bolt | | Hex Thick Slotted Hex Castle | | | |
| 9/32" | No. 10* | - | | TIEX Castle | | | |
| 5/16" | 47.7 | - | _ | _ | Ξ. | | |
| 11/32" | 4.7404 | - | _ | - | | | |
| 3/8" 7/16" | 1/4"* 1/4" | - | 2.740 | | 10 | | |
| 1/2" | 5/16" | 5 | 1/4" | 1/4" | 4770 | | |
| 9/16" | 3/8" | = | 5/16" | 5/16" 3/8" | 1/4" | | |
| 19/32" | | | - J | 3/6 | 5/16" | | |
| 5/8" | 7/16" | - | 3/8" | _ | | | |
| 11/16" | | | - | 7/16" | 3/8" | | |
| 3/4" | 1/2" | - | 7/16" | 1/2" | 7/16" | | |
| 3/4" | 0/46" | _ | | - | | | |
| 13/16" 7/8" | 9/16" | 1/2" | 1/2" | 2 7 2 2 2 | _ | | |
| 15/16" | 5/8" | 1/2" | _ | 9/16" | 1/2" | | |
| 31/32" | 3/6 | | | 5/8" | 9/16" | | |
| 1" | - | _ | 5/8" | | _ | | |
| 1-1/16" | - | 5/8" | - J | _ | 5/8" | | |
| 1-1/8" | 3/4" | - | 3/4" | 34" | 5/6 | | |
| 1-1/4" | _ | 3/4" | _ | _ | 3/4" | | |
| 1-5/16" | 7/8" | - | 7/8" | 7/8" | _ | | |
| 1-3/8" 1-7/16" | - | 7/0/ | - | - | _ | | |
| 1-1/2" | 1" | 7/8" | | | 7/8" | | |
| 1-5/8" | 1 | 1" | 1" | 1" | | | |
| 1-11/16" | 1-1/8" | 1 | 1-1/8" | 1-1/8" | 1" | | |
| 1-13/16" | _ | 1-1/8" | 1-1/6 | 1-178 | 1-1/8" | | |
| 1-7/8" | 1-1/4" | _ | 1-1/4" | 1-1/4" | 1-17-6 | | |
| 2" | - | 1-1/4" | _ | - 17-4 | 1-1/4" | | |
| 2-1/16" | 1-3/8" | | 1-3/8" | 1-3/8" | - | | |
| 2-3/16" | | 1-3/8" | 1 C | _ | 1-3/8" | | |
| 2-1/4" 2-3/8" | 1-1/2" | | 1-1/2" | 1-1/2" | _ | | |
| 2-7/16" | 1-5/8" | 1-1/2" | _ | _ | 1-1/2" | | |
| 2-9/16" | 1-5/6 | 1-5/8" | _ | - | | | |
| 2-5/8" | 1-3/4" | 1-3/6 | | - | 1-5/8" | | |
| 2-3/4" | | 1-3/4" | | | 1-3/4" | | |
| 2-13/16" | 1-7/8" | - | | | 1-3/4 | | |
| 2-15/16" | | 1-7/8" | - | _ | 1-7/8" | | |
| 3" | 2" | 7.0 | _ | - | 1 - 2 | | |
| 3-1/8" 3-3/8" | 2-1/4" | 2" | - | | 2" | | |
| 3-1/2" | 2-1/4" | 2-1/4" | | - | | | |
| 3-3/4" | 2-1/2" | 2-1/4 | - | | 2-1/4" | | |
| 3-7/8" | | 2-1/2" | | | 0.1/0// | | |
| 4-1/8" | 2-3/4" | | | | 2-1/2" | | |
| 4-1/4" | _ | 2-3/4" | | | 2-3/4" | | |
| 4-1/2" | 3" | | - | _ | 2 3/ 4 | | |
| 4-5/8" | <u> </u> | 3" | | _ | 3" | | |
| 4-7/8" | 3-1/4" | _ | - | _ | | | |
| 5" 5-1/4" | 3-1/2" | 1 | _ | _ | 3-1/4" | | |
| 5-1/4 5-3/8" | | - | - | - | 3-1/2" | | |
| 5-5/8" | 3-3/4" | | - | | 3-1/2" | | |
| 5-3/4" | | = | = 1 | = | 3-3/4" | | |
| 6" | 4" | <u>-</u> | | | 3-3/4" | | |
| 6-1/8" | - | | | | 4" 4" | | |

^{*}Regular square only.

CONVERSION CHART


FRACTIONAL-DECIMAL-METRIC

| Milli- metre | Dec. Equiv. | Frac- tional | Milli- metre | Dec. Equiv. | Frac- tiona |
|-----------------|----------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|----------------|
| .1 | .0039 | | 1.75 | .0689 | | | .1570 | | 6.8 | .2677 | | 10.72 | .4219 | 27/6 |
| .15 | .0059 | | 1111 | .0700 | | 4.0 | .1575 | | 6.9 | .2716 | | 11.0 | .4330 | 300 |
| .2 | .0079 | | 1.8 | .0709 | | **** | .1590 | | | .2720 | | 11.11 | ,4375 | 7/16 |
| .25 | .0098 | | 1.85 | .0728 | | 65.00 | .1610 | | 7.0 | .2756 | | 11.5 | .4528 | 0010 |
| .3 | .0118 | | **** | .0730 | | 4.1 | .1614 | | 2135 | .2770 | | 11.51 | .4531 | 29/6 |
| 4141 | .0135 | | 1.9 | .0748 | | 4.2 | .1654 | | 7.1 | .2795 | | 11.91 | .4687 | 15/3 |
| .35 | .0138 | | **** | .0760 | | **** | .1660 | | 1111 | .2811 | 0./00 | 12.0 | .4724 | 20/6 |
| | .0145 | N. Arter | 1.95 | .0767 | market a | 4.25 | .1673 | | 7.14 | .2812 | 9/32 | 12.30 | .4843 | 39/6 |
| .39 | .0156 | 1/64 | 1.98 | .0781 | 5/64 | 4.3 | .1693 | | 7.2 | .2835 | | 12.5 12.7 | .5000 | 1/2 |
| .4 | .0157 | | | .0785 | | | .1695 | 11/04 | 7.25 | .2854 | | 13.0 | .5118 | 1/2 |
| 102 | .0160 | | 2.0 | .0787 | | 4.37 | .1719 | 11/64 | 7.3 | .2900 | | 13.10 | ,5156 | 33/6 |
| .45 | .0177 | | 2.05 | .0807 | | 1.1 | .1732 | | 7.4 | .2913 | | 13.49 | .5312 | 17/3 |
| 1275 | .0180 | | **** | .0810 | | 4.4 | 1770 | | 1 174 | .2950 | | 13.5 | .5315 | |
| .5 | .0197 | | 0.1 | .0820 | | 15 | .1770 | | 7.5 | .2953 | | 13.89 | .5469 | 35/6 |
| *** | .0200 | | 2.1 | .0827 | | 4.5 | 1800 | | 7.54 | .2968 | 19/64 | 14.0 | .5512 | |
| | .0210 | | 2.15 | .0860 | | 4.6 | .1811 | | 7.6 | .2992 | 10.01 | 14.29 | .5625 | 9/16 |
| .55 | .0217 | | 2.2 | .0866 | | 41.0 | .1820 | | | .3020 | | 14.5 | .5709 | |
| 6 | | | 2.25 | .0885 | | 4.7 | .1850 | | 7.7 | .3031 | | 14.68 | .5781 | 37/6 |
| .6 | .0236 | | | .0890 | | 4.75 | 1870 | | 7.75 | .3051 | | 15.0 | .5906 | |
| **** | .0240 | | 2.3 | .0905 | | 4.76 | .1870 .1875 | 3/16 | 7.8 | .3071 | | 15.08 | .5937 | 19/3 |
| QE. | .0250 | | 2.35 | .0925 | | 4.8 | .1890 | 0,10 | 7.9 | .3110 | | 15.48 | .6094 | 39/6 |
| .65 | .0256 | | 2.00 | .0935 | | 77.17 | .1910 | | 7.94 | .3125 | 5/16 | 15.5 | .6102 | |
| | .0280 | | 2.38 | .0937 | 3/32 | 4.9 | .1929 | | 8.0 | .3150 | | 15.88 | .6250 | 5/8 |
| .7 | .0276 | | 2.4 | .0945 | 0,02 | | .1935 | | **** | .3160 | | 16.0 | .6299 | |
| | .0292 | | | .0960 | | | .1960 | | 8.1 | .3189 | | 16.27 | .6406 | 41/6 |
| .75 | .0295 | | 2.45 | .0964 | | 5.0 | .1960 .1968 | | 8.2 | .3228 | | 16.5 | .6496 | |
| | .0310 | | | .0980 | | **** | .1990 | | **** | .3230 | | 16.67 | .6562 | 21/3 |
| .79 | .0312 | 1/32 | 2.5 | .0984 | | 5.1 | .2008 | | 8.25 | .3248 | | 17.0 | .6693 | 7.1.3 |
| .8 | .0315 | 1702 | 11111 | .0995 | | **** | .2010 | | 8.3 | .3268 | | 17.06 | .6719 | 43/6 |
| 9444 | .0320 | | **** | .1015 | | 5.16 | .2031 | 13/64 | 8.33 | .3281 | 21/64 | 17.46 | .6875 | 11/1 |
| | .0330 | | 2.6 | .0124 | | | .2040 | | 8.4 | .3307 | | 17.5 | .6890 | 3250 |
| .85 | .0335 | | | .1040 | | 5.2 | .2047 | | | .3320 | | 17.86 | .7031 | 45/6 |
| | .0350 | | 2.7 | .1063 | | 1000 | .2055 | | 8.5 | .3346 | | 18.0 | .7087 | (- |
| .9 | .0354 | | | .1065 | | 5.25 | .2067 | | 8.6 | .3386 | | 18.26 | .7187 | 23/3 |
| 11111 | .0360 | | 2.75 | .1082 | | 5.3 | .2086 | | | .3390 | | 18.5 | .7283 | 4710 |
| 446.7 | .0370 | | 2.78 | .1094 | 7/64 | **** | .2090 | | 8.7 | .3425 | | 18.65 | .7344 | 47/6 |
| .95 | .0374 | | | .1100 | | 5.4 | .2126 | | 8.73 | .3437 | 11/32 | 19.0 | .7480 | 0.1 |
| 111.7 | .0380 | | 2.8 | .1102 | | **** | .2130 | | 8.75 | .3445 | | 19.05 | .7500 | 3/4 |
| | .0390 | | 441.4 | .1110 | | 5.5 | .2165 | -36-2.3 | 8.8 | .3465 | | 19.45 | .7656 | 49/6 |
| 1.0 | .0394 | | | .1130 | | 5.56 | .2187 | 7/32 | | .3480 | | 19.5 | .7677 | 05/6 |
| | .0400 | | 2.9 | .1141 | | 5.6 | .2205 | | 8.9 | .3504 | | 19.84 | .7812 | 25/3 |
| | .0410 | | **** | .1160 | | | .2210 | | 9.0 | .3543 | | 20.0 | .7874 | C+ 11 |
| 1.05 | .0413 | | 3.0 | .1181 | | 5.7 | .2244 | | 2015 | .3580 | | 20.24 | .7969 | 51/6 |
| **** | .0420 | | 1271 | .1200 | | 5.75 | .2263 | | 9.1 | ,3583 | 00/04 | 20.5 | .8071 | 101 |
| See | .0430 | | 3.1 | .1220 | 100 | **** | .2280 | | 9.13 | .3594 | 23/64 | 20.64 | .8125 | 13/ |
| 1.1 | .0433 | | 3.18 | .1250 | 1/8 | 5.8 | .2283 | | 9.2 | .3622 | | 21.0 21.03 | .8268 .8281 | 53/6 |
| 1.15 | .0452 | | 3.2 | .1260 | | 5.9 | .2323 | | 9.25 | .3641 | | 21.43 | 8437 | 27/3 |
| | .0465 | 2.4300 | 3.25 | .1279 | | | .2340 | 15/04 | 9.3 | .3661 | | 21.43 | .8465 | 211, |
| 1.19 | .0469 | 3/64 | 44.00 | .1285 | | 5.95 | .2344 | 15/64 | 0.4 | .3680 | | 21.83 | .8594 | 55/ |
| 1.2 | .0472 | | 3.3 | .1299 | | 6.0 | .2362 | | 9.4 9.5 | | | 22.0 | .8661 | 557 |
| 1.25 | .0492 | | 3.4 | .1338 | | 2.7. | .2380 | | | .3740 | 3/8 | 22.23 | .8750 | 7/1 |
| 1.3 | .0512 | | | .1360 | | 6.1 | .2401 | | 9.53 | .3750 | 3/0 | 22.5 | .8858 | 4.55 |
| Fish | .0520 | | 3.5 | .1378 | | 6.0 | .2420 | | 9.6 | .3780 | | 22.62 | .8906 | 57/6 |
| 1.35 | .0531 | | 0.57 | .1405 | 0/04 | 6.2 | .2441 | | 9.7 | .3819 | | 23.0 | .9055 | |
| 1.4 | .0550 | | 3.57 | .1406 | 9/64 | 6.25 | .2460 | | 9.75 | .3838 | | 23.02 | .9062 | 29/ |
| 1.4 | .0551 | | 3.6 | .1417 | | 6.3 | .2480 | 1/4 | 9.8 | .3858 | | 23.42 | .9219 | 59/ |
| 1.45 | .0570 | | 0.7 | .1440 | | 6.35 | | 174 | | .3860 | | 23.5 | .9252 | 50, |
| 1.5 | .0591 | | 3.7 | .1457 | | 6.4 | .2520 | | 9.9 | .3898 | | 23.81 | .9375 | 15/ |
| 1.55 | .0595 | | 0.75 | .1470 | | 6.5 | .2559 | | 9.92 | .3906 | 25/64 | 24.0 | .9449 | |
| | .0610 | 4140 | 3.75 | .1476 | | 6.6 | .2598 | | 10.0 | .3937 | 23/04 | 24.21 | .9531 | 61/ |
| 1.59 | .0625 | 1/16 | 2.0 | .1495 | | 6.6 | .2610 | | 10.0 | .3970 | | 24.5 | .9646 | 2.10 |
| 1.6 | .0629 | | 3.8 | 1496 | | 6.7 | .2638 | | **** | .4040 | | 24.61 | .9687 | 31/ |
| 1.65 | .0635 | | 2.0 | .1520 | | 6.7 | | 17/64 | 10.32 | .4062 | 13/32 | 25.0 | .9843 | 2.17 |
| 1.65 | .0649 | | 3.9 | .1535 | | 6.75 6.75 | .2657 .2657 | 17704 | 10.32 | .4130 | 10/02 | 25.03 | .9844 | 63/ |
| 1 / | .0669 | | 7111 | .1540 | | 6.75 | .2660 | | 10.5 | .4134 | | 25.4 | 1.0000 | 1 |

THORSEN TOOL... A MODERN MANUFACTURING FACILITY



producing precision tested products from engineering excellence.







for end use by

*INDUSTRY *PROFESSIONAL MECHANICS *FEDERAL AGENCIES *THE KNOWLEDGEABLE CONSUMER



THORSEN TOOL COMPANY

2527 WILLOWBROOK RD DALLAS, TX. ZIP 75220 TELEX — 73-2504 PHONE — 214 350-8671

MEMBER HAND TOOLS INSTITUTE



DISTRIBUTED BY:

Wholesale Distributors
505 East First Street
Hopkinsville, Kentucky 4224



WallaceMurray